

2015 International Mechanical Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1ST PRINTING (October 30, 2014)

**TABLE 1302.3
FUEL OIL PIPING**

MATERIAL	STANDARD (see Chapter 15)
Copper or copper-alloy pipe	ASTM B 42; ASTM B 43; ASTM B 302
Copper or copper-alloy tubing (Type K, L or M)	ASME B16.51; ASTM B 75; ASTM B 88; ASTM B 135; ASTM B 280; ASME B 16.51
Labeled pipe	(See Section 1302.4)
Nonmetallic pipe	ASTM D 2996
Steel pipe	ASTM A 53; ASTM A 106
Steel tubing	ASTM A 254; ASTM A 539

1303.7 Copper or copper-alloy tubing. Joints between copper or copper-alloy tubing or fittings shall be brazed, or mechanical joints complying with Section 1303.3, **press connect joints that conform to one of the standards in Table 1302.3** or flared joints. Flared joints shall be made by a tool designed for that operation.