

Board of Directors

Mike Grossman Chair
ACI Distribution
Santa Fe Springs, CA (562)345-1252

Fred Harter Vice Chair
Royal Glass Co., Inc.
Rancho Cordova, CA (916)858-8006

Barbara Haynes Past Chair
De Guelle Glass
Huntington Beach, CA (714)536-6561

Donn Harter President
Americas Glass Association
Placerville, CA (877)275-2421

Bob Eugley Treasurer
Mirror Shower & Glass
San Diego, CA (619)858-0801

John Ponder Legal Council
Sheppard, Mullin, Richter & Hampton
San Diego, CA (619)338-6646

Karen Colacino Secretary
Hal's Glass Company
Bellflower, CA (562)866-7047

Len Brunette Director
Vetrotech Saint-Gobain
Auburn, WA (253)333-0660

Mattie Carrillo Director
JC Glass, Inc.
Stafford, TX (713)777-1068

Roger Grant, Sr. Director
Atascadero Glass Co.
Atascadero, CA (815)466-2644

Cory Latino Director
Jocoran Glass
Phoenix, AZ (602)263-4017

Al Lara Director
San Marcos Glass
San Marcos, CA (760)744-4703

Bill Moule Director
Moule's Tehama County Glass Inc
Red Bluff, CA 96080 (530)529-0260

Fire & Safety
Glazing Council™
"Dedicated to Life Safety through improved Building Codes & Standards"

Donn Harter Co-Chair
See above

John La Torre Co-Chair
Redwood City Bldg. Official
Redwood City, CA (650)780-7360

Greg Abel Vice Chair
Advocates for Safe Glass
Eugene, OR (541)345-1170

Nancy Bates Secretary
Americas Glass Association
Placerville, CA (877)275-2421

Fred Harter Treasurer
See above

Kirk Ratzel Steering Committee
Vetrotech Saint Gobain
Bern 22, Switzerland +41 (0) 31 336 8134

Vijay Ruikar Steering Committee
Intertek Testing Services
Middleton, WI (925)522-8037


Len Brunette Steering Committee
See above

Mike Grossman Steering Committee
See above

Accessible Door Handles



Persons with disabilities experience difficulty in using the “elephant ear” pull handle on commercial doors. The ADA and Title 24 clearly state that the pull-handle must be “graspable.” In other words, persons with limited hand and finger mobility can not grasp the smooth surface of the pull-handle pictured below.



A

The requirement for an accessible pull handle on a commercial door throughout the U. S. is one that requires no tight grasping, pinching, or twisting of the wrist to operate. In this picture, this style of pull handle offers no easy “hook” grasp ability. Recently, there has been a rash of complaints by the disabled community and turn-downs by building inspectors due to the installation of non-complying pull hardware. This type of handle requires finger strength to hold onto the handle and consequently is not accepted as accessible.

The following hardware designs are accessible.



B

The tube type handle (shown here) may be right angle offset or straight out from the door style.



C

This variation utilizes an extruded shaped bar stock handle.

Each of these styles offers ease of grasp for the elderly and persons with diminished upper body, arm, or hand strength.

All commercial door manufacturers produce graspable pull handles, such as “B” and “C”

Contract Glaziers take note: Make sure when you order your doors that they have the proper pull handles.

Building Inspectors: Accept only accessible hardware.

This is a nationwide issue. Do it right the first time.