

Fire Door Test Summary

Door Type: **Damper/Shutter (D)**

This report is for the period: January 1, 1990 to December 31, 1999

<i>Fail Mode</i>	<i>Door Label</i>	<i>Count</i>
No Failure Mode Code Entered	NL	2
		2
Other (T)	NL	2
	UL	1
		3
Permanently Closed (U)	UL	1
		1
Not Tested (V)	NL	12
	UL	7
		19
Unknown (W)	NL	1
		1
Only Door Failed (X)	UL	1
		1

Fire Door Test Summary

Door Type: **Horizontal Sliding - Inclined Track (H1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
No Failure Mode Code Entered	NL	1
	OS	3
	UL	1
		5
Spring Tension (A)	FM	1
	NL	1
	UL	1
	3	
Opening Blocked (B)	FM	2
	NL	6
	UL	5
	13	
Snagged Link/Chain (C)	FM	2
	NL	2
	OL	1
	UL	2
	7	
Tracks Damaged (D)	NL	1
	OL	1
	UL	7
	9	
Lubrication Needed (E)	FM	1
	1	
Dirt In Tracks (F)	NL	3
	UL	3
	6	
Snagged Counterweight (I)	OL	1
	UL	3
	4	
Failed Past Tests (N)	FM	1
	NL	2
	OL	2
	UL	8
	13	

Fire Door Test Summary

Door Type: **Horizontal Sliding - Inclined Track (H1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Reset Instructions (O)	UO	1
		1
Both Doors Failed (P)	NL	3
	OL	1
	UL	4
	UO	1
		9
Binding Wall/Floor (Q)	NL	2
	OL	2
	UL	2
		6
Normally Closed (S)	FM	1
	UL	4
		5
Other (T)	FM	1
	NL	1
	OL	5
	OS	1
	UL	2
		10
Permanently Closed (U)	FM	19
	NL	24
	OL	4
	UL	17
		64
Not Tested (V)	FM	19
	NL	4
	OL	4
	OS	2
	UL	30
		59
Unknown (W)	NL	2
	OL	2
	OS	1
		5

Fire Door Test Summary

Door Type: **Horizontal Sliding - Inclined Track (H1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Only Door Failed (X)	FM	1
	UL	4
		5

Fire Door Test Summary

Door Type: **Horizontal Sliding - Counterweight Closure (H2)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
No Failure Mode Code Entered	FM	2
	NL	1
	OS	2
		5
Spring Tension (A)	FM	3
	OL	1
	OS	1
	UL	2
		7
Opening Blocked (B)	FM	8
	NL	3
	UL	4
		15
Snagged Link/Chain (C)	FM	15
	NL	12
	OS	16
	UL	14
		57
Tracks Damaged (D)	FM	22
	NL	8
	OL	5
	OS	11
	UL	10
		56
Lubrication Needed (E)	FM	4
	NL	2
	OS	1
		7
Dirt In Tracks (F)	FM	8
	NL	1
	OL	2
	OS	1
	UL	14
		26
Faulty/Painted Gears (G)	UL	1
		1

Fire Door Test Summary

Door Type: **Horizontal Sliding - Counterweight Closure (H2)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Snagged Counterweight (I)	FM	19
	NL	1
	OL	1
	OS	4
	UL	6
		31
Latch Missing (K)	NL	1
	1	
Failed Past Tests (N)	FM	49
	NL	17
	OL	5
	OS	24
	UL	19
	UO	1
	115	
Both Doors Failed (P)	FM	17
	NL	4
	OL	2
	OS	14
	UL	11
	48	
Binding Wall/Floor (Q)	FM	9
	OS	21
	UL	5
	UO	1
	36	
Post/Rails Lacking (R)	FM	2
	2	
Normally Closed (S)	FM	2
	NL	1
	UL	6
	9	

Fire Door Test Summary

Door Type: **Horizontal Sliding - Counterweight Closure (H2)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Other (T)	FM	20
	NL	8
	OL	3
	OS	3
	UL	15
	UO	1
	50	
Permanently Closed (U)	FM	6
	NL	24
	OL	17
	UL	15
62		
Not Tested (V)	FM	9
	NL	24
	OL	11
	UL	17
61		
Unknown (W)	FM	5
	OS	1
	UL	4
10		
Only Door Failed (X)	FM	26
	NL	8
	OL	2
	UL	2
38		

Fire Door Test Summary

Door Type: **Horizontal Sliding - Spring Closure (H3)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
No Failure Mode Code Entered	UO	2
		2
Spring Tension (A)	UL	2
		2
Opening Blocked (B)	UL	3
		3
Snagged Link/Chain (C)	FM	4
		4
Tracks Damaged (D)	UL	3
		3
Dirt In Tracks (F)	UL	2
		2
Broken Misadjusted Closer (J)	UL	1
		1
Failed Past Tests (N)	FM	4
	UL	6
		10
Reset Instructions (O)	UL	6
		6
Both Doors Failed (P)	FM	12
	UL	11
		23
Binding Wall/Floor (Q)	UL	5
		5
Post/Rails Lacking (R)	UL	6
		6
Other (T)	FM	10
	UL	7
		17
Permanently Closed (U)	FM	7
		7
Not Tested (V)	FM	4
		4

Fire Door Test Summary

Door Type: **Rolling Steel Spring Operated (R1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
No Failure Mode Code Entered	FM	10
	NL	5
	OL	1
	OS	10
	UL	14
		40
Spring Tension (A)	FM	139
	NL	47
	OL	15
	OS	80
	UL	145
	UO	10
	436	
Opening Blocked (B)	FM	35
	NL	10
	OL	1
	OS	6
	UL	34
	UO	6
	92	
Snagged Link/Chain (C)	FM	175
	NL	33
	OL	11
	OS	87
	UL	112
	UO	17
	435	
Tracks Damaged (D)	FM	38
	NL	10
	OL	10
	OS	11
	UL	39
	UO	2
	110	

Fire Door Test Summary

Door Type: **Rolling Steel Spring Operated (R1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Lubrication Needed (E)	FM	24
	NL	4
	OL	1
	OS	4
	UL	12
	UO	2
Dirt In Tracks (F)	FM	5
	NL	3
	OS	6
	UL	9
Faulty/Painted Gears (G)	FM	8
	NL	13
	OL	5
	OS	7
	UL	18
	UO	4
Damaged Hood/Curtain (H)	FM	19
	NL	9
	OL	2
	OS	14
	UL	20
	UO	5
Snagged Counterweight (I)	FM	4
	NL	3
	OL	3
	OS	3
	UL	13
	UO	1
Broken Misadjusted Closer (J)	FM	1
	UL	5
		6

Fire Door Test Summary

Door Type: **Rolling Steel Spring Operated (R1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Latch Missing (K)	FM	2
		2
Age (M)	FM	4
	NL	1
	OL	2
	UL	6
		13
Failed Past Tests (N)	FM	184
	NL	74
	OL	13
	OS	63
	UL	241
	UO	27
		602
Reset Instructions (O)	FM	9
	NL	1
	OS	1
	UL	1
	UO	2
		14
Both Doors Failed (P)	FM	154
	NL	40
	OL	20
	OS	74
	UL	110
	UO	13
		411
Binding Wall/Floor (Q)	FM	8
	OL	1
	OS	1
	UL	5
	15	
Post/Rails Lacking (R)	FM	2
	UL	1
	3	

Fire Door Test Summary

Door Type: **Rolling Steel Spring Operated (R1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Normally Closed (S)	FM	8
	NL	8
	OL	9
	OS	7
	UL	9
		41
Other (T)	FM	106
	NL	26
	OL	3
	OS	61
	UL	108
	UO	8
	312	
Permanently Closed (U)	FM	33
	NL	71
	OL	4
	OS	12
	UL	91
		211
Not Tested (V)	FM	33
	NL	80
	OL	22
	OS	24
	UL	94
		253
Unknown (W)	FM	29
	NL	16
	OL	1
	OS	11
	UL	23
	UO	3
	83	

Fire Door Test Summary

Door Type: **Rolling Steel Spring Operated (R1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Only Door Failed (X)	FM	59
	NL	9
	OL	5
	OS	7
	UL	61
	UO	4
		145

Fire Door Test Summary

Door Type: **Rolling Steel Non-Spring Operated (R2)**

This report is for the period: January 1, 1990 to December 31, 1999

<i>Fail Mode</i>	<i>Door Label</i>	<i>Count</i>
No Failure Mode Code Entered	OS	1
		1
Failed Past Tests (N)	OS	1
		1

Fire Door Test Summary

Door Type: **Rolling Steel Non-Spring Operated Retrofit (R3)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Spring Tension (A)	FM	10
		10
Snagged Link/Chain (C)	FM	13
	UO	1
		14
Tracks Damaged (D)	FM	2
		2
Faulty/Painted Gears (G)	OS	1
		1
Snagged Counterweight (I)	FM	2
		2
Failed Past Tests (N)	FM	13
	OS	1
		14
Both Doors Failed (P)	FM	13
		13
Other (T)	FM	4
		4
Unknown (W)	FM	1
		1
Only Door Failed (X)	FM	2
		2

Fire Door Test Summary

Door Type: **Swinging (S)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
No Failure Mode Code Entered	NL	7
	UL	8
		15
1	UL	1
		1
Spring Tension (A)	FM	2
	NL	3
	OL	1
	UL	7
		13
Opening Blocked (B)	FM	10
	NL	10
	UL	18
		38
Snagged Link/Chain (C)	FM	1
	OL	3
		4
Tracks Damaged (D)	FM	5
	UL	1
		6
Lubrication Needed (E)	FM	3
	NL	2
	UL	4
		9
Dirt In Tracks (F)	UL	1
		1
Faulty/Painted Gears (G)	UL	1
		1
Damaged Hood/Curtain (H)	UL	2
		2
Broken Misadjusted Closer (J)	FM	52
	NL	27
	OL	18
	UL	69
		166

Fire Door Test Summary

Door Type: **Swinging (S)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Latch Missing (K)	FM	28
	NL	4
	OL	9
	UL	39
		80
Worn Hinges (L)	FM	4
	NL	1
	UL	3
		8
Failed Past Tests (N)	FM	38
	NL	28
	OL	7
	UL	76
		149
Both Doors Failed (P)	FM	39
	NL	22
	OL	4
	UL	40
		105
Binding Wall/Floor (Q)	FM	22
	NL	3
	OL	4
	UL	17
		46
Post/Rails Lacking (R)	UL	2
		2
Normally Closed (S)	FM	45
	NL	11
	OL	6
	UL	48
		110
Other (T)	FM	49
	NL	19
	OL	12
	UL	71
		151

Fire Door Test Summary

Door Type: *Swinging (S)*

This report is for the period: January 1, 1990 to December 31, 1999

<i>Fail Mode</i>	<i>Door Label</i>	<i>Count</i>
Permanently Closed (U)	FM	8
	NL	5
	OL	3
	UL	24
		40
Not Tested (V)	FM	6
	NL	19
	OL	1
	UL	22
	48	
Unknown (W)	FM	3
	NL	2
	OL	1
	UL	14
	20	
Only Door Failed (X)	FM	56
	NL	21
	OL	26
	UL	72
	175	

Fire Door Test Summary

Door Type: **Vertical Sliding (V1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
No Failure Mode Code Entered	NL	6
		6
Spring Tension (A)	UL	2
		2
Opening Blocked (B)	NL	12
	OL	1
	UL	12
		25
Snagged Link/Chain (C)	FM	1
	NL	5
	UL	4
		10
Tracks Damaged (D)	FM	2
	NL	1
	UL	1
		4
Lubrication Needed (E)	UL	2
		2
Dirt In Tracks (F)	NL	2
		2
Snagged Counterweight (I)	FM	2
	NL	1
		3
Broken Misadjusted Closer (J)	NL	1
		1
Failed Past Tests (N)	FM	4
	NL	13
	UL	12
		29
Reset Instructions (O)	NL	2
		2
Both Doors Failed (P)	FM	2
	NL	4
		6

Fire Door Test Summary

Door Type: **Vertical Sliding (V1)**

This report is for the period: January 1, 1990 to December 31, 1999

Fail Mode	Door Label	Count
Binding Wall/Floor (Q)	UL	1
		1
Normally Closed (S)	NL	4
		4
Other (T)	NL	4
	UL	3
		7
Permanently Closed (U)	NL	5
		5
Not Tested (V)	---	1
	NL	11
	OL	11
	UL	1
		24
Unknown (W)	FM	1
	NL	1
		2
Only Door Failed (X)	NL	10
	UL	12
		22