

**CODE TECHNOLOGY COMMITTEE**  
**2012 GROUP A CYCLE - IBC, IFGC, IMC, IPC**  
**FINAL ACTION FOR CODE CHANGES RELATED TO THE AREA OF STUDY NOTED**

Code Change #	Section	Area of Study	CTC Change	Issue	CTC Position	Final Action
E010	1003.3	ADA/IBC	x	Horizontal projections	S	AS
E036	1007.1	ADA/IBC	x	Accessible MOE	S	AS
E039	1007.3	ADA/IBC	x	Clarification of areas of refuge and added Group I-3 exception.	S	AMPC
E041	1007.5	ADA/IBC	x	platform lifts clarification as MOE	S	AS
E043	1007.5.1	ADA/IBC	x	openess for platform lifts	S	AS
E052	1008.1.1	ADA/IBC	x	Shower doors	S	AS
E094	1009.7.5.3	ADA/IBC	x	Open risers	S	D
E167	1101.1	ADA/IBC	x	chapter 11 scope terminology	S	AS
E168	1103.2.3	ADA/IBC	x	exceptions clarification	S	AS
E169	1103.2.2	ADA/IBC	x	existing building reference	S	AS
E171	1103.2.8	ADA/IBC	x	religious facilities	S	AS
E173	1103.2.10	ADA/IBC	x	single occupant structures	S	AS
E174	1103.2.12	ADA/IBC	x	day care	S	D
E175	1103.2.13	ADA/IBC	x	live work units	S	AS
E177	1104.1	ADA/IBC	x	site arrival points	S	AS
E178	1104.3	ADA/IBC	x	elevator exception	S	AS
E179	1104.3	ADA/IBC	x	Hospital doors	S	AS
E180	1104.3.2	ADA/IBC	x	press boxes	S	AS
E181	1104.4	ADA/IBC	x	courtroom reference	S	AS
E182	1105.1.6	ADA/IBC	x	entrance section seperated	S	AS
E183	1106.2	ADA/IBC	x	parking	S	AMPC
E185	1107.3	ADA/IBC	x	vertical access in institutional and residential	S	AS
E187	1107.5.5.1	ADA/IBC	x	jails	S	AS
E188	1107.6.1.1	ADA/IBC	x	counting accessible units in hotels	S	AS
E189	107.6.1.1.1	ADA/IBC	X	delete accessible unit items covered in A117.1	S	AS
E191	107.6.2.1.1	ADA/IBC	x	sleeping unit suites - counting	S	AMPC
E194	1108.2.7.1	ADA/IBC	x	assitive listening systems	S	AS
E195	1108.2.9	ADA/IBC	x	dining and drinking areas	S	AS
E196	1108.4.3	ADA/IBC	x	Group I-3 visitors centers combined	S	AS
E198	1109.2	ADA/IBC	x	redundant requirements for bathrooms in a private office	S	AS
E200	1109.2.3	ADA/IBC	x	lavatories	S	AMPC
E202	1109.8	ADA/IBC	x	outdoor dining areas deletion	S	AS
E204	1109.12.2	ADA/IBC	x	check out aisles	S	AS
E205	1109.13	ADA/IBC	x	swimming pool gates	S	AS
E206	1109.13.1	ADA/IBC	x	redundant operable window requirements	S	AS
E208	1110	ADA/IBC	x	Recreational Facilities - Lead proposal for recrEational	S	AS
E209	1110.4.1	ADA/IBC	x	Area of Sports Activity	S	AS
E210	1110.4.7	ADA/IBC	x	Animal containment	S	AS
E211	1110.4.8	ADA/IBC	x	Amusement ride	S	AS
E212	1110.4.9	ADA/IBC	x	Boating	S	AS
E213	1110.4.10	ADA/IBC	x	Exercise machines	S	AS
E214	1110.4.12	ADA/IBC	x	Miniature golf	S	AS
E215	1110.4.13	ADA/IBC	x	Play area	S	D
E216	1110.4.14	ADA/IBC	x	Swimming pool	S	AMPC1
E217	1110.4.16	ADA/IBC	x	Shooting facility	S	AS
E218	1110.1	ADA/IBC	x	signage	S	AS
E221	1110.2	ADA/IBC	x	directional signage	S	AS
E223	1110.3	ADA/IBC	x	hearing loss signage	S	AS
E225	E106	ADA/IBC	x	Golf	S	D
G241	3411.8.4	ADA/IBC	x	Stairs	S	AS
G242	3411.8.6	ADA/IBC	x	Performance areas	S	AS

**CODE TECHNOLOGY COMMITTEE**  
**2012 GROUP A CYCLE - IBC, IFGC, IMC, IPC**  
**FINAL ACTION FOR CODE CHANGES RELATED TO THE AREA OF STUDY NOTED**

Code Change #	Section	Area of Study	CTC Change	Issue	CTC Position	Final Action
G243	3411.8.11	ADA/IBC	x	Signage	S	AS
G245	3412.2.5	ADA/IBC	x	Compliance alternative	S	AS
E011	1003.4	ADA/IBC		Slip resistance	O	D
E012	1003.4.1	ADA/IBC		Slip resistance	O	D
E037	1007.1	ADA/IBC		Egress from parking garages	NP	D
E040	1007.4	ADA/IBC		elevators	NP	D
E042	1007.5	ADA/IBC		Platform lifts - allowing Item 10 for way out in limited situations	NP	D
E044	1007.5.1	ADA/IBC		openess for platform lifts	S	D
E046	1007.7	ADA/IBC		exterior area of rescue assistance	S	AS
E047	1007.7.6	ADA/IBC		Two way communication at exterior areas of assisted rescue	NP	D
E049	1007.8	ADA/IBC		two way communication at elevator lobbies	NP	D
E053	1008.1.1	ADA/IBC		Toilet stall doors	NP	D
E058	1008.1.6	ADA/IBC		Doors at equipment spaces	NP	D
E059	1008.1.6	ADA/IBC		Doors at equipment spaces	NP	AMPC
E060	1008.1.7	ADA/IBC		door threshold (FHA)	NP	AS
E061	1008.1.8	ADA/IBC		doors in a series	NP	D
E062	1008.1.3	ADA/IBC		door opening force	NP	AM
E095	1009.7.5	ADA/IBC		Open risers	NP	D
E170	1103.2.8	ADA/IBC		limited access spaces	NP	D
E172	1103.2.9	ADA/IBC		storage spaces	NP	D
E176	1103.2.16	ADA/IBC		Display areas	NP	D
E199	1109.2	ADA/IBC		Bariatric unit	NP	AM
E201	1109.5.1	ADA/IBC		drinking fountains	NP	AS
E224	1110.3	ADA/IBC		hearing loss signage	NP	D
G038	310.1	ADA/IBC		Dormitories	O	D
G040	310.5	ADA/IBC		Related to G41	NP	AS
G041	310.6	ADA/IBC		Lodging houses to Group R-2	NP	D
G060	406.3.1	ADA/IBC		Related to G59	NP	D
G061	406.3.4	ADA/IBC		Related to G59	NP	AS
G184	3008.7.7.1	ADA/IBC		Two-way communication	S	AM
G236	3411	ADA/IBC		Type B units not required before March 12, 1991	NP	D
G237	3411	ADA/IBC		Accessible MOE in existing	NP	D
G240	3411.7	ADA/IBC		determination of cost	O	D
P028	403.1	ADA/IBC		Handwashing sink	NP	D
E066	1008.1.9.6	Care	x	Correlation with Condition 1 & 2	S	AMPC
E067	1008.1.9.6	Care	x	Hear with E68; Support E68	S	AM
E069	1008.1.9.6	Care	x	special locks	S	AMPC1
E070	1008.1.9.7	Care	x	delayed egress locks	S	AM
E072	1008.1.9.7	Care	x	delayed egress locks	S	D
E074	1008.1.9.7	Care	x	delayed egress locks signage	S	AMPC
E077	1008.1.9.8	Care	x	add I-1 and I-4 to locks	S	AS
E078	1008.1.9.8	Care	x	access controlled egress doors	S	AM
E119	1017.3	Care	x	Aisles	NP	D
E122	1018.2	Care	x	Movement of beds	NP	D
E186	1107.5.1.1	Care	x	10% assisted living	S	AMPC
FS068	713.14.1	Care	x	Elevator lobbies	S	AS
G001	202	Care	x	24 hour care	S	AS
G031	308	Care	x	Group I-1, Condition 1 & 2	S	AS
G034	308.3	Care	x	Convalescent facilities deleted	S	AS
G054	404.6	Care	x	Atrium enclosure in I-2	S	AM
G055	404.6	Care	x	see G54	S	AM
G065	407.2.5	Care	x	Cooking facilities in nursing	S	AMPC

**CODE TECHNOLOGY COMMITTEE**  
**2012 GROUP A CYCLE - IBC, IFGC, IMC, IPC**  
**FINAL ACTION FOR CODE CHANGES RELATED TO THE AREA OF STUDY NOTED**

Code Change #	Section	Area of Study	CTC Change	Issue	CTC Position	Final Action
G066	407.2.5	Care	x	Open to corridor in nursing home	S	AMPC
G068	407.4	Care	x	Defend in place – (MOE)	S	AS
G073	407.4.3	Care	x	Furniture in corridor (MOE)	S	AS
M036	401.2	Care	x	Ventilation through ASHREA 170	S	AS
	403.3					
M047		Care	x	Delete convalescent home; In G34; (see M36)	S	D
M076	505.1	Care	x	Cooking hoods	S	AS
E081	1008.1.9.9	Care		access controlled egress doors	S	AS
E082	1008.1.9.9	Care		electromagnetic locks	S	AM
E083	1008.1.9.1	Care		electromagnetic locks	S	D
E118	1017.3	Care		Aisles	NP	AS
FG003	303.3.1	Care		Fireplaces in I-2	NP	D
G032	308	Care		Group I-5; for hospitals	NP	D
G033	308	Care		Lockups in other than I-3	NP	WP
G035	308.3	Care		Assisted living as Group I-2	O	D
G036	308.3.1	Care		Group homes less than 5	NP	D
G037	308.5	Care		Lock-up facility	NP	D
G056	407.2.6	Care		Smoke control	NP	D
G079	407.11	Care		Cooking in hospitals	NP	D
G090	420	Care		Seperation of I-1 sleeping rooms	O	D
G091	420.6	Care		Group R-4 attics; antifreeze systems	O	D
G244	3412	Care		Group I-2 alternative means	NP	AMPC
G257	308	Care		Group I-2, Condition 1 and 2	S	AM
M010	303.1	Care		Combustion air		AS
M035	309.2	Care		Temperature	NP	D
M101	507	Care		Domestic cooking in commercial setting	NP	AS
P069	422.11	Care		Water warning	NP	D
P171	713.12	Care		Water warning	NP	D
P231		Care		Water temperature in ambulatory care	O	D
		Child window safety	x			
E109	1013.8			window sills	S	AS
		Child window safety	x			
G225	3407.2			windows sills for child falls	S	AMPC
		Child window safety				
G227	3408			Replacement windows	S	AMPC
			x			
E106	1013.3	Climbable guards		climbable guards	S	D
E165	1028	Climbable guards		Guards around assembly seating	S	AS
E045	1007.6	Elevator lobby	X	Area of refuge access; Testify - Collins	S	AS
E110	1014.2	Elevator lobby	X	Exit Access	S	AS
E114	1022.1	Elevator lobby	X	Lobby Signs	S	D
E144	1022.1	Elevator lobby	x	Lobby signs	S	AMPC2
FS037	709.4	Elevator lobby	x	Smoke barriers	S	AMPC
FS061	3007	Elevator lobby	X	Relocate elevator lobby provisions	S	AS
FS066	713.14.1		X	Required elevator lobby only above 420 feet	S	
		Elevator lobby				D
FS067	713.14.1	Elevator lobby	X	Hoistway door protection	S	AS
FS069	713.14.1	Elevator lobby	X	Hoistway measurement	S	AS
FS070	713.14.1	Elevator lobby	X	Elevators open to exterior	S	AMPC2
FS071	713.14.1		X	Clarification of location of lobby requirements	S	
		Elevator lobby				AS
FS088	716.5.3.1	Elevator lobby	X	Hoistway doors	S	D
G175	3007.7.1	Elevator lobby	X	Exit stair access	S	AS
G177	3007.7.4	Elevator lobby	X	Lobby size with 2 FS Elevators	S	AS
E026	1006.2	Elevator lobby		Light Level	S	D

**CODE TECHNOLOGY COMMITTEE**  
**2012 GROUP A CYCLE - IBC, IFGC, IMC, IPC**  
**FINAL ACTION FOR CODE CHANGES RELATED TO THE AREA OF STUDY NOTED**

Code Change #	Section	Area of Study	CTC Change	Issue	CTC Position	Final Action
E048	1007.8	Elevator lobby		Elevator lobby communications	NP	AMPC
FS038	709.4	Elevator lobby		Smoke Barriers	O	D
FS039	709.4	Elevator lobby		Smoke Barriers	S	D
FS048	711.9	Elevator lobby		Smoke Barriers	O	D
FS049	711.9	Elevator lobby		Smoke Barriers	S	D
FS062	713.14.1	Elevator lobby		Smoke Doors	O	D
FS063	713.14.1	Elevator lobby		Lowest level for elevator lobbies for Group B, R-1, and R-2	O	D
FS064	713.14.1	Elevator lobby		Lowest level for elevator lobbies for Group B, R-1, and R-2	O	D
FS065	713.14.1	Elevator lobby		Delete exception for EL in I-2	S	D
FS140	909.21.1	Elevator lobby		Elevator lobby pressurization	S	AS
FS141	909.21.1	Elevator lobby		Pressurization differentials & ventilation	NP	AS
FS143	909.21.4.5	Elevator lobby		Temp of elevator shaft air	S	D
G166	3004.1	Elevator lobby		Delete hoistway ventilation; Outside of scope for CTC	NP	AS
G167	3004.1	Elevator lobby		Venting of hoistway	NP	AS
G174	3007.7	Elevator lobby		Access to EL for FS and Occupant evacuation	O	D
G176	3007.7.3	Elevator lobby		Fire door Ref for lobby doors	NP	AS
G182	3008.7.3	Elevator lobby		Same as G176	NP	AS
G052	403.5.2	Emergency elevators		Interior exit stairway	NP	AS
G053	403.6.1	Emergency elevators		Reference stretchers	S	AS
G170	3006.4	Emergency elevators		Elevagtor machine rooms	S	D
G171	3006.4	Emergency elevators		Elevagtor machine rooms	S	AS
G172	3006.4	Emergency elevators		Elevator terms	O	D
G173	3007.2	Emergency elevators		Coord with ASME A17.1	S	AS
G179	3007.9	Emergency elevators		Coord with ASME A17.1-2013	NP	AS
G180	3008.2	Emergency elevators		Coord with ASME A17.1-2013	S	AS
G181	3008.2.2	Emergency elevators		Coord with ASME A17.1-2013	S	AS
G183	3008.7.6	Emergency elevators		Coord with ASME A17.1-2013	S	AS
G185	3008.7.7.1	Emergency elevators		Coord with ASME A17.1-2013	NP	AS
FS083	716.2	Fire rated glazing	X	add floor/ceiling	S	AS
FS084	716.3	Fire rated glazing	X	markings	S	AS
FS085	716.5	Fire rated glazing	X	Follow up to last cycle	S	AS
FS095	716.5.8.4	Fire rated glazing	x	Follow up to last cycle	S	AM
FS086	716.5	Fire rated glazing		Increase size	NP	AS
FS089	716.5.3.2	Fire rated glazing		Fire windows	NP	D

**CODE TECHNOLOGY COMMITTEE**  
**2012 GROUP A CYCLE - IBC, IFGC, IMC, IPC**  
**FINAL ACTION FOR CODE CHANGES RELATED TO THE AREA OF STUDY NOTED**

Code Change #	Section	Area of Study	CTC Change	Issue	CTC Position	Final Action
FS090	716.5.3.2	Fire rated glazing		Glazing in doors	NP	D
FS091	716.5.5.1	Fire rated glazing		glazing in doors	NP	AM
FS094	716.5.8.1	Fire rated glazing		terminology	NP	AMPC
E002	Varies	Unenclosed exits	x	Definitions for stairways	S	AS Part 1 AS Part 2 AMPC Part 3 AS Part 4
E007	Varies	Unenclosed exits	x	Coordination with E5-09/10	S	AMPC
E038	1007.3	Unenclosed exits	x	Area of refuge at open stair	S	AS
E001	1015/1022	Unenclosed exits		Terminology/follow up to E5-09/10	NP	AS
E003	various	Unenclosed exits		Exit access point/doorway	NP	D
E004	202	Unenclosed exits		ramp and stairway definition	S	AMPC
E006	202	Unenclosed exits		stair/stairway definition	NP	D
E008	1009	Unenclosed exits		Fire barriers	O	D
E017	1004.1.1.2	Unenclosed exits		Occupant load for open stair	NP	D
E089	1009.3	Unenclosed exits		exit access stairways, exception 3	NP	AS
E090	1009.3	Unenclosed exits		exit access stairways, exception 4	NP	D
E115	1016.2	Unenclosed exits		Corridor travel distance	NP	D
E127	1021	Unenclosed exits		Number of exits	NP	AS
E129	1021.1	Unenclosed exits		Clarification	S	D
E136	1021.3.1	Unenclosed exits		Adjacent story	NP	AS
E137	1022.1	Unenclosed exits		Enclosure requirements		AS
G198	3112	Relocatable buildings	X	Relocatable buildings	S	D
G203	3410	Relocatable buildings	X	Relocatable buildings	S	D
G204	3401.1	Relocatable buildings		IEBC moved structures	O	AS
G233	3410.2	Relocatable buildings		Relocateable bleachers	NP	D
E117	1016.2.2	BFP - Roof vents		F-1 & S-1 400 foot travel	NP	AS
G087	412.7	BFP - Roof vents		Aircraft manufacturing	NP	AS
FS050	711	BFP - Vertical openings	x	Follow up to FS 56 - 09/10	S	AM
FS044	711	BFP - Vertical openings		Joints	NP	D
FS047	711.9	BFP - Vertical openings		Smoke barrier	NP	D