

2006 International Fire Code Errata

THIRD PRINTING (Updated June 27, 2007)

SECTION 202 GENERAL DEFINITIONS

OCCUPANCY CLASSIFICATION. For the purposes of this code, certain occupancies are defined as follows:

[B] Assembly Group A. Assembly Group A occupancy includes, among others, the use of a building or structure, or a portion thereof, for the gathering together of persons for purposes such as civic, social or religious functions; recreation, food or drink consumption; or awaiting transportation.

Exceptions:

1. A building or tenant space used for assembly purposes with an occupant load of less than 50 persons shall be classified as a Group B occupancy.
2. A room or space used for assembly purposes with an occupant load of less than 50 persons and accessory to another occupancy shall be classified as a Group B occupancy or classified as part of that occupancy.
3. A room or space used for assembly purposes that is less than 750 square feet (70 m²) in area and is accessory to another occupancy shall be classified as a Group B occupancy or classified as part of that occupancy.

Assembly occupancies shall include the following: (No change to remainder of Group A text.) (*posted 6-27-07*)

2006 International Fire Code Errata

FIRST PRINTING (Updated July 1, 2006)

CHAPTER 2 DEFINITIONS

Section 202: *Revise as follows:*

OCCUPANCY CLASSIFICATION.

[B] Institutional Group I.

Group I-2. This occupancy shall include...(no change)

A facility such as the above with five or fewer persons shall be classified as Group R-3 or shall comply with the *International Residential Code*.

A child care facility that provides care on a 24-hour basis to more than five children 2¹/₂ years of age or less shall be classified as Group I-2. (posted 7-10-06)