

2006 International Residential Code and Commentary Errata

(Only errata to Commentary are shown-see International Residential Code Errata for Code Errata)

(Portions of text and tables not shown are unaffected by the errata)

1st and 2nd PRINTING (December 7, 2018)

CHAPTER 3 BUILDING PLANNING

Figure R314.1:

FIGURE R314.1

~~USE AND INSTALLATION REQUIREMENTS OF FOAM PLASTIC IN BUILDING CONSTRUCTION~~
SEPARATION OF FOAM PLASTIC INSULATION FROM THE INTERIOR OF A BUILDING

2006 International Residential Code and Commentary Errata

(Only errata to Commentary are shown-see International Residential Code Errata for Code Errata)


(Portions of text and tables not shown are unaffected by the errata)

1st and 2nd PRINTING (POSTING DATE)

CHAPTER 4 ROOF ASSEMBLIES

Figure R406.2

- WATERPROOFING MEMBRANE
1. TWO-PLY HOT MOPPED FELT, OR
 2. 6-MIL PVC, OR
 3. 55-POUND ROLL ROOFING, OR
 4. 40-MIL POLYMER-MODIFIED ASPHALT, OR
 5. 6-MIL POLYETHYLENE, OR
 6. 60 MIL FLEXIBLE POLYMER CEMENT, OR
 7. 1/8 INCH CEMENT-BASED, FIBER REINFORCED WATERPROOF COATING, OR
 8. 60 MIL SOLVENT-FREE-LIQUID-APPLIED SYNTHETIC RUBBER.



2006 International Residential Code and Commentary Errata

(Only errata to Commentary are shown-see International Residential Code Errata for Code Errata)

(Portions of text and tables not shown are unaffected by the errata)

1 st and 2 nd PRINTING (POSTING DATE)

CHAPTER 6 WALL CONSTRUCTION

R613.2 Window sills.

This section is not applicable to fixed or stationary windows. If ~~any~~ the lowest part of the clear opening ~~area~~ of an operable window....