

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

SIXTH PRINTING (Updated October 3, 2012)

CHAPTER 3

USE AND OCCUPANCY CLASSIFICATION

[F] TABLE 307.1(1)

MAXIMUM ALLOWABLE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIAL POSING A HEALTH HAZARD ^{a,j,m,n,p}

In the row for Pyrophoric material, in the column for Gas (cubic feet at NTP), add note "e". It should read as **10^e, 9** -

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

FOURTH PRINTING (Updated February 18, 2011)

CHAPTER 3 USE AND OCCUPANCY CLASSIFICATIONS

[F] TABLE 307.1(1) MAXIMUM ALLOWANCE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIALS POSING A PHYSICAL HAZARD.

In the row for EXPLOSIVES, on the line for DIVISION 1.6, in the column for SOLID POUNDS (cubic feet), delete note "d". It should read as **1^{e, g}**

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

SECOND PRINTING (Updated March 22, 2010)

CHAPTER 3 USE AND OCCUPANCY CLASSIFICATION

[F] 307.2 Definitions. The following words and terms shall, for the purposes of this section and as used elsewhere in this code, have the meanings shown herein.

CRYOGENIC FLUID. A liquid having a boiling point lower than ~~-450~~ -130°F (~~-404~~ -89.9°C) at 14.7 pounds per square inch atmosphere (psia) (an absolute pressure of 101 kPa).

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

FIRST PRINTING (Updated March 22, 2010)

CHAPTER 3 USE AND OCCUPANCY CLASSIFICATION

310.1 Residential Group R. *(no change to portions not shown)*

R-4 Residential occupancies shall include buildings arranged for occupancy as residential care/assisted living facilities including more than five but not more than 16 occupants, excluding staff.

Group R-4 occupancies shall meet the requirements for construction as defined for Group R-3, except as otherwise provided for in this code or shall comply with the *International Residential Code* provided the building is protected by an *automatic sprinkler system* installed in accordance with Section ~~903.2.7~~ 903.2.8.