

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

SIXTH PRINTING (Updated October 3, 2012)

CHAPTER 17 STRUCTURAL TESTS AND SPECIAL INSPECTIONS

TABLE 1704.4 REQUIRED VERIFICATION AND INSPECTION OF CONCRETE CONSTRUCTION

For Items 3 and 4, revise ACI 318 section reference: ~~21.2.8~~ 21.1.8

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

THIRD PRINTING (Updated December 14, 2010)

CHAPTER 17 STRUCTURAL TESTS AND SPECIAL INSPECTIONS

Revise TABLE 1704.4, item 5 as follows:

VERIFICATION AND	CONTINUOUS	PERIODIC	REFERENCE STANDARD ^a	IBC REFERENCE
5. Verifying use of required design mix.	-	X	ACI 318: Ch. 4, 5.2- 5.4	1904.2.2-1904.3, 1913.2,

2009 International Building Code Errata

(Portions of text and tables not shown are unaffected by the errata)

SECOND PRINTING (Updated March 22, 2010)
--

CHAPTER 17 STRUCTURAL TESTS AND SPECIAL INSPECTIONS

1704.1.1 Statement of special inspections. The applicant shall submit a statement of *special inspections* prepared by the *registered design professional in responsible charge* in accordance with Section 107.1 as a condition for permit issuance. This statement shall be in accordance with Section 1705.

Exceptions:

1. A statement of *special inspections* is not required for structures designed and constructed in accordance with the conventional construction provisions of Section 2308.
2. The statement of *special inspections* is permitted to be prepared by a qualified person *approved* by the *building official* for construction not designed by a *registered design professional*.