

2009 International Residential Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st through 6th PRINTING (07-11-12)

APPENDIX P SIZING OF WATER PIPING SYSTEM

AP101.1.1 This appendix outlines.....source, the head ~~charges~~ changes in the system....

AP103.2.2 Water pipe sizing....

1. Pressure required...and Section 604.5 3 of the *International*....

AP103.3 Segmented loss method.

3. **Selection of pipe size.**

3.1 Pressure required.....and Section 604.5 3 of the *International*....

FIGURE AP103.3(7) FRICTION LOSS IN FAIRLY ROUGH PIPE^a

2009 International Residential Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1st and 2nd PRINTING (SEPTEMBER 7, 2010)

APPENDIX P SIZING OF WATER PIPING SYSTEM

**TABLE AP201.1
MINIMUM SIZE OF WATER METERS, MAINS AND DISTRIBUTION PIPING BASED ON WATER SUPPLY FIXTURE
UNIT VALUES (w.s.f.u)**

METER AND SERVICE PIPE (inches)	DISTRIBUTION PIPE (inches)	MAXIMUM DEVELOPMENT LENGTH (feet)									
		40	60	80	100	150	200	250	300	400	500
Pressure Range 50 to 60 psi		40	60	80	100	150	200	250	300	400	500
2	2 ½	533	533	533	533	533	533	533	533	353 533	486