2012 International Building

Code Errata

(Portions of text and tables not shown are unaffected by the errata)

SECOND PRINTING (Updated May 23, 2012)

CHAPTER 3 USE AND OCCUPANCY CLASSIFICATION

[F] TABLE 307.1(1) MAXIMUM ALLOWANCE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIALS POSING A PHYSICAL HAZARD.

Pyrophoric Material, in the GAS column under USE-CLOSED SYSTEMS, change to read: $10^{\frac{9}{3}}$

[F] TABLE 307.1(2) MAXIMUM ALLOWABLE QUANTITY PER CONTROL AREA OF HAZARDOUS MATERIAL POSING A HEALTH HAZARD^{a, b, c, i}

	MATERIAL	STORAGE ^d			USE-CLOSED SYSTEMS			USE-OPEN SYSTEMS ^d	
		Solid	Liquid	Gas	Solid	Liquid	Gas	Solid	Liquid
		pounds	gallons	(cubic	pounds	gallons	(cubic	pounds	gallons
		(cubic	(pounds)	feet at	е	(pounds)	feet at	e	(pounds)
		feet) ^{e, f}	e, t	NTP) ^e		е	NTP) ^e		e

(Add footnotes e and f to 2nd column heading as indicated. Remainder of table remains unchanged.)

[F] 307.3.1 Occupancies containing explosives not classified as H-1. The following

occupancies containing explosive materials shall be classified as follows:

- 1. Division 1.3 explosive materials that are used and maintained in a form where either confinement or configuration will not elevate the hazard from a mass fire to mass explosion hazard shall be allowed in H-2 occupancies.
- Articles, including articles packaged for shipment, that are not regulated as a Division 1.4 explosive under Bureau of Alcohol, Tobacco, Firearms and <u>Explosives</u> Exoplosives regulations, or unpackaged articles used in process operations that do not propagate a detonation or deflagration between articles shall be allowed in H-3 occupancies.