

# 2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1<sup>st</sup> and 2<sup>nd</sup> PRINTING (Posted: June 27, 2013)

## CHAPTER 4 PUBLIC SWIMMING POOLS

**L402.8 Location of diving equipment.** Manufactured and fabricated diving equipment shall be located so that the tip of the board or platform is located directly above Point A as defined by Section ~~402.7~~ 402.5.

**402.10 Platform height above waterline.** The height of an *approved* stationary diving apparatus, platform, or diving rock above the design *waterline* shall not exceed the limits of the manufacturer's specifications ~~of~~ or the limits of the design prepared by a design professional.

# 2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1<sup>st</sup> PRINTING (Posted: 08-01-12)

## CHAPTER 4 PUBLIC SWIMMING POOLS

**401.5 Floor slope.** Except where required to meet the accessibility requirements in accordance with Section ~~323.4~~ 307.9, the slope.....

# 2012 International Swimming Pool and Spa Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1<sup>st</sup> PRINTING (Posted: 06-06-2012)

## CHAPTER 4 PUBLIC SWIMMING POOLS

**409.2 Depth markers.** Depth markers shall be provided in accordance with Sections ~~416.2.4~~ 409.2.1 through ~~416.2.8~~ 409.2.8.