### 2015 International Residential Code Errata

(Portions of text and tables not shown are unaffected by the errata)

Applicable to the 1<sup>st</sup> and 2<sup>nd</sup> PRINTING (This Errata Posted: January 17, 2017)

# Chapter 27 PLUMBING FIXTURES

**P2722.1 General.** Fixture supply valves......requirements of P2905.7 P2906.7.

**P2722.4 Individual pressure-balancing in-line valves for individual fixture fittings.** Individual pressure-balancing...required by Section <u>P2708.3 P2708.4</u>.

**P2724.2 Temperature actuated, flow reduction devices for individual fixtures.** Temperature-actuated....for showers in Section P2708.3 P2708.4.

### 2015 International Residential Code Errata

(Portions of text and tables not shown are unaffected by the errata)

#### 1<sup>st</sup> PRINTING (6-17-14)

## CHAPTER 27 PLUMBING FIXTURES

**P2705.1 General.** The installation of fixtures shall conform to the following:

- 1. Floor-outlet ...
- 2. Wall-hung....
- 3. Where...
- 4. Plumbing....
- 5. Water closets,....
- 6. The location of ....
- 7. In flood hazard areas as established by Table R301.2(1), plumbing fixtures shall be located or installed in accordance with Section R322.1.7 R322.1.6.

### 2015 International Residential Code Errata

(Portions of text and tables not shown are unaffected by the errata)

1<sup>st</sup> PRINTING (July 14, 2014)

# CHAPTER 27 PLUMBING FIXTURES

P2706.2 3 Prohibited waste receptors. Plumbing fixtures...