

REVISION RECORD FOR THE STATE OF CALIFORNIA

ERRATA

March 1, 2012

2010 Title 24, Part 2, Vol. 1 California Building Code

**PLEASE NOTE: The date of this errata is for identification purposes only.
See the History Note Appendix.**

It is suggested that the section number, as well as the page number be checked when inserting this material and removing the superseded material. In case of doubt, rely on the section numbers rather than the page numbers because the section numbers must run consecutively.

It is further suggested that the superseded material be retained with this revision record sheet so that the prior wording of any section can be easily ascertained.

Please keep the removed pages with this revision page for future reference.

Note

Due to the fact that the application date for a building permit establishes the California Building Standards Code provisions that are effective at the local level, which apply to the plans, specifications, and construction for that permit, it is strongly recommended that the removed pages be retained for historical reference.

Part 2, Vol. 1

Remove Existing Pages

591 and 592

731 and 732

Insert Buff-Colored Pages

591 and 592

731 and 732

CALIFORNIA BUILDING CODE-MATRIX ADOPTION TABLE CHAPTER 12 – INTERIOR ENVIRONMENT

Adopting agency	BSC	SFM	HCD		1-AC		DSA		OSHDP				CSA	DPH	AGR	DWR	CEC	CA	SL	SLC
			1	2	AC	AC	SS	SS/CC	1	2	3	4								
Adopt entire chapter							X	X												
Adopt entire chapter as amended (amended sections listed below)	X		X	X					X	X	X	X								
Adopt only those sections that are listed below		X																X		
Chapter/Section																				
1203.1									X	X	X	X								
1203.2	X																			
1203.3.1.1																			X	
1203.3.2																			X	
1203.3.2 Item 4																			X	
1203.3.2 Exc/ 6																				
1203.4			X	X																
1203.4.2.1			X	X																
1203.5		X	X	X																
1204.1																				
1204.1 w/Excs/			X						X	X	X	X								
1205.1			X																	
1205.6	X																			
1206		X																		
1207			X	X																
1208		X																		
1208.1			X																	
1208.2									X	X	X	X								
1208.2.1									X	X	X	X								
1208.4			X																	
1209		X																		
1209.1.1																				
1210.2			X	X																
1211			X	X																
1224									X											
1225										X										
1226											X									
1227												X								
1230													X							
1231													X							
1235														X						
1236														X						
1237														X						
1240															X					
1241															X					
1242															X					
1243															X					
1250																	X			
1251																	X			
1252																	X			
1253																	X			
1254																	X			

The Office of the State Fire Marshal's adoption of this chapter or individual sections is applicable to structures regulated by other state agencies pursuant to Section 1.11.

HISTORY NOTE APPENDIX

California Building Code (Title 24, Part 2, California Code of Regulations)

For prior history, see the History Note Appendix to the *California Building Code* (CBC), 2010 Triennial Edition, effective January 1, 2011.

1. For prior code history, see the History Note Appendix to the California Building Code 2007 Triennial Edition, effective January 1, 2008.
2. BSC 02/09, SFM 03/09, OSHPD 05/09 & 07/09, DSA-SS 02/09, HCD 01/09, DWR 01/09, CSLC 01/08 — Adoption of the 2009 edition of the International Building Code published by the International Code Council, for incorporation into the 2010 *California Building Code*, CCR Title 24, Part 2 with amendments for State regulated occupancies effective on January 1, 2011.
3. Errata to correct editorial errors in preface and Chapters 1-4, 6-12, 14-19, 21-24, 26, 30, 31, 34 and 35.
4. SFM EF 01/10 & EF 01/11 – Emergency regulations for antifreeze in residential fire sprinkler systems and for exceptions for interconnected residential smoke detectors, respectively. Effective on April 28, 2011 and approved as permanent on July 20, 2011.
5. HCD EF 01/11 – Emergency regulations for exceptions for interconnected residential carbon monoxide detectors, effective on July 21, 2011 and approved as permanent on July 20, 2011.
6. BSC 01/10; DPH 01/10; DSA-AC 01/10; HCD 02/10 & 03/10; OSHPD 02/10 & 03/10; SFM 01/10 – Repeal and amend provisions of the 2010 *California Building Code*, CCR Title 24, Part 2 for State regulated occupancies, effective on July 1, 2012.
7. CSA 01/10 – Update minimum standards for the design and construction of local detention facilities of the 2010 *California Building Code*, CCR Title 24, Part 2, effective on July 1, 2012.
8. DPH 01/10 – Update minimum standards for the design and construction of public swimming pools of the 2010 *California Building Code*, CCR Title 24, Part 2, effective on September 1, 2012.

Code Opinions from ICC Experts

**SAVE TIME WITH INSTANT ACCESS TO
HUNDREDS OF QUESTIONS ARISING FROM
REAL-WORLD PROJECTS**

Each Code Opinion Q&A features:

- Many new questions and answers.
- Detailed photos, tables and illustrations that provide a clear understanding of both the intent and meaning of the code text.
- The relevant code section printed before the question and answer for easy reference.
- Discussion on a wide variety of the most critical topics.

Available now:

- 2009 IBC® Q&A: NONSTRUCTURAL PROVISIONS #4002S09
- 2009 IFC® Q&A #4410S09
- 2009 IRC® Q&A: BUILDING AND ENERGY PROVISIONS #4114S09
- 2009 IRC Q&A: PLUMBING, MECHANICAL AND FUEL GAS PROVISIONS #4115S09
- 2009 IPC®, IMC®, AND IFGC® Q&A #4207S09
- 2009 IEBC® Q&A #4551S09

Coming soon:

2009 IBC® Q&A: STRUCTURAL PROVISIONS #4003S09

ORDER YOUR HELPFUL CODE OPINION GUIDES TODAY!
1-800-786-4452 | www.iccsafe.org/2009qa

The Q&A prints the relevant code section before the question and answer for easy reference.

SECTION R604 WOOD STRUCTURAL PANELS

R604.3 Installation. Wood structural panel wall sheathing shall be attached to framing in accordance with Table R602.3(1) or Table R602.3(3). Wood structural panels marked Exposure 1 or Exterior are considered water-repellent sheathing under the code.

Q: What does "Exposure 1" refer to?

A: Exposure 1 panels are made with waterproof glues with untreated wood. They are designed for exposure to the weather during construction. They are not intended for permanent exposure to the weather. For permanent exposure to the weather, "Exterior" grade panels must be used. [6-27]

Q: Is plywood stronger than oriented strand board (OSB) of the same thickness?

A: No, not according to the provisions in the IRC. PS 1 and PS 2 are U.S. Department of Commerce (DOC) Voluntary Product Standards. PS 1 specifies how plywood must be manufactured in order to qualify for grade-mark identification. PS 2 deals with how a panel product must perform in a designated application rather than how it must be manufactured. Plywood and OSB may be produced

Includes code
text before
each question




Valuable Guides to Changes in the 2012 I-Codes®



FULL COLOR! HUNDREDS OF PHOTOS AND ILLUSTRATIONS!


SIGNIFICANT CHANGES TO THE 2012 INTERNATIONAL CODES®

Practical resources that offer a comprehensive analysis of the critical changes made between the 2009 and 2012 editions of the codes. Authored by ICC code experts, these useful tools are “must-have” guides to the many important changes in the 2012 International Codes.



- SIGNIFICANT CHANGES TO THE IBC, 2012 EDITION**
#7024S12
- SIGNIFICANT CHANGES TO THE IRC, 2012 EDITION**
#7101S12
- SIGNIFICANT CHANGES TO THE IFC, 2012 EDITION**
#7404S12
- SIGNIFICANT CHANGES TO THE IPC/IMC/IFGC, 2012 EDITION**
#7202S12

Changes are identified then followed by in-depth discussion of how the change affects real world application. Photos, tables and illustrations further clarify application.

ORDER YOUR HELPFUL GUIDES TODAY!
1-800-786-4452 | www.iccsafe.org/store

HIRE ICC TO TEACH
Want your group to learn the Significant Changes to the I-Codes from an ICC expert instructor? Schedule a seminar today!
email: ICCTraining@iccsafe.org | phone: 1-888-422-7233 ext. 33818