

**1997 Uniform Building Code**  
**to**  
**2006 International Building Code**  
**Cross Reference Table**

[Updated from 1997 Uniform Building Code to 2000 International Building Code<sup>1</sup>  
Cross Reference Table Published by the International Code Council]

**By Paul Armstrong, P.E.**  
**Interwest Consulting Group**

---

<sup>1</sup> Copyright, 2000, International Code Council, Inc. Falls Church, Virginia. Reproduced with permission. All rights reserved.

## Chapter 1: Administration

### 101 TITLE, PURPOSE AND SCOPE

- 101.1 Title
- 101.2 Purpose
- 101.3 Scope

### 102 UNSAFE BUILDINGS OR STRUCTURES

### 103 VIOLATIONS

### 104 ORGANIZATION AND ENFORCEMENT

- 104.1 Creation of Enforcement Agency
- 104.2 Powers and Duties of Building Official  
**OFFICIAL**
  - 104.2.1 General
  - 104.2.2 Deputies
  - 104.2.3 Right of entry
  - 104.2.4 Stop orders
  - 104.2.5 Occupancy violations
  - 104.2.6 Liability
  - 104.2.7 Modifications
  - 104.2.8 Alternate materials, alternate design and methods of construction
  - 104.2.9 Tests
  - 104.2.10 Cooperation of other officials and officers

### 105 BOARD OF APPEALS

- 105.1 General
- 105.2 Limitations of Authority

### 106 PERMITS

- 106.1 Permits Required

### 101 GENERAL

- 101.1 Title
- 101.3 Intent
- 101.2 Scope
- 102.1 General
- 102.5 Partial Invalidity

### 115 UNSAFE STRUCTURES AND EQUIPMENT

- 115.1 Conditions
- 115.2 Record
- 115.3 Notice
- 115.4 Method of service
- 115.5 Restoration

### 113 VIOLATIONS

- 113.1 Unlawful Acts
- 113.2 Notice of violation
- 113.3 Prosecution of violation
- 113.4 Violation penalties

### 103 DEPARTMENT OF BUILDING AND SAFETY

- 103.1 Creation of enforcement agency
- 103.2 Appointment

### 104 DUTIES AND POWER OF BUILDING

- 104.1 General
- 103.3 Deputies
- 104.6 Right of entry

### 114 STOP WORK ORDER

- 114.1 Authority
- 114.2 Issuance

- 104.8 Liability

- 104.10 Modifications

- 104.11 Alternative materials, design and methods of construction and equipment

- 104.11.2 Tests

### 112 BOARD OF APPEALS

- 112.1 General
- 112.3 Qualifications
- 112.2 Limitations on authority

### 105 PERMITS

- 105.1 Required

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

106.2 Work Exempt from Permit

105.2 Work exempt from permit

106.3 Application for Permit

105.3 Application for permit

106.3.1 Application

105.3 Application for permit

106.3.2 Submittal documents

106.1 Submittal documents

106.3.3 Information on plans and specifications

106.1.1 Information on construction documents

106.3.4 Architect or engineer of record

106.3.4 Design professional in responsible charge

106.3.4.1 General

106.3.4.1 General

106.3.4.2 Deferred submittals

106.3.4.2 Deferred submittals

106.3.5 Inspection and observation program

106.3.4.1 General

106.4 Permit Issuance

105.3.1 Action on application

106.4.1 Issuance

105.3.1 Action on application

106.3.1 Approval of construction documents

104.2 Applications and permits

106.4.2 Retention of plans

104.7 Department needs

106.5 Retention of construction documents

106.4.3 Validity of permit

102.2 Other laws

104.3 Notices and orders

105.4 Validity of permit

109.1 General (Inspections)

106.4.4 Expiration

105.5 Expiration

106.4.5 Suspension or revocation

105.6 Suspension or revocation

**107 FEES**

**108 FEES**

107.1 General

108.1 Payment of fees

107.2 Permit Fees

108.2 Schedule of permit fees

108.3 Building permit valuation

107.3 Plan Review Fees

107.4 Expiration of Plan Review

105.3.2 Time limitation of application

107.5.1 Investigation

108.4 Work commencing before permit issuance

107.5.2 Fee

108.4 Work commencing before permit issuance

107.6 Fee refunds

108.6 Refunds

**108 INSPECTIONS**

**109 INSPECTIONS**

108.1 General

109.1 General

109.2 Preliminary inspection

108.2 Inspection Record Card

109.5 Inspection requests

105.7 Placement of permit

108.3 Inspection Requests

109.5 Inspection requests

108.4 Approval Required

109.6 Approval required

109.3.10 Final inspection

108.5 Required Inspections

109.3 Required inspections

108.5.1 General

109.3 Required inspections

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

- 108.5.2 Foundation inspection
- 108.5.3 Concrete slab or under-floor inspection
- 108.5.4 Frame inspection
- 108.5.5 Lath or gypsum board inspection
- 108.5.6 Final inspection
- 108.6 Special Inspections
- 108.7 Other Inspections
- 108.8 Reinspections

**109 CERTIFICATE OF OCCUPANCY**

- 109.1 Use and Occupancy
- 109.2 Change in Use
- 109.3 Certificate Issued
- 109.4 Temporary Certificate
- 109.5 Posting
- 109.6 Revocation
- Table 1-A—Building permit fees

2006 International Building Code

- 109.3.1 Footing and foundation inspection
- 109.3.2 Concrete slab and under floor inspection
- 109.3.4 Frame inspection
- 109.3.5 Lath and gypsum board inspection
- 109.3.10 Final inspection
- 109.3.9 Special inspection
- 109.3.8 Other inspections

**110 CERTIFICATE OF OCCUPANCY**

- 110.1 Use and Occupancy
- 110.2 Certificate issued
- 110.3 Temporary occupancy
- 110.4 Revocation

**Chapter 2: Definitions and Abbreviations**

**201 DEFINITIONS**

**201 GENERAL**

**Chapter 3: Use or Occupancy**

**301 OCCUPANCY CLASSIFIED**

302.1 General

**302 MIXED USE OR OCCUPANCY**

- 302.1 General
- 302.2 Forms of Occupancy Separations
- 302.3 Types of Occupancy Separations
- 302.4 Fire Ratings for Occupancy Separations

- 302.1.1 Incidental use areas
- 302.3 Mixed occupancies
- 302.3.2 Separated uses

**706 FIRE BARRIERS**

- 302.3.2 Separated uses
- Table 302.3.2—Required separation of occupancies (Hours)

302.5 Heating Equipment Room Occupancy Separation

Table 302.1.1 Incidental use areas

302.6 Water Closet Room Separation

**303 REQUIREMENTS FOR GROUP A OCCUPANCIES**

- 303.1.1 Group A Occupancies defined
- 303.2 Construction, Height and Allowable Area
- 303.3 Location on Property

303.1 Assembly Group A

**1023 EXIT DISCHARGE**

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

303.4 Access and Exit Facilities thru  
303.7 Sprinkler and Standpipe Systems

303.8 Special Hazards

302.1.1 Incidental use areas

**304 REQUIREMENTS FOR GROUP B OCCUPANCIES**

304.1 Group B Occupancies Defined

304.2 Construction, Height and Allowable Area

304.3 Location on Property thru

304.7 Sprinkler and Standpipe Systems

304.8 Special Hazards

304.1 Business Group B

Table 302.1.1 Incidental use areas

302.1.1 Incidental use areas

**305 REQUIREMENTS FOR GROUP E OCCUPANCIES**

305.1 Group E Occupancies Defined

305.2 Construction, Height and Allowable Area

305.3 Location on Property

305.4 Access and Means of Egress Facilities thru  
305.7 Sprinkler and Standpipe Systems

305.8 Special Hazards

305.9 Fire Alarm Systems

305 Educational Group E

**1023 EXIT DISCHARGE**

302.1.1 Incidental use areas

907.2.3 Group E

**306 REQUIREMENTS FOR GROUP F OCCUPANCIES**

306.1 Group F Occupancies Defined

306.2 Construction, Height and Allowable Area thru

306.7 Sprinkler and Standpipe Systems

306.1 Factory Industrial Group F

306.2 Factory Industrial F-1 Moderate-Hazard  
Occupancy

306.3 Factory Industrial F-2 Low-Hazard Occupancy

306.8 Special Hazards

**307 REQUIREMENTS FOR GROUP H OCCUPANCIES**

[F] 415 Groups H-1, H-2, H-3, H-4 and H-5

[F] 416 Application of Flammable Finishes

[F] 414.1 General

307.1 Group H Occupancies Defined

307.1.6 Requirement for report

307.1.1 General

307.1 High-Hazard Group H

307.9 Exceptions

307.3 High-Hazard Group H-1

307.4 High-Hazard Group H-2

307.5 High-Hazard Group H-3

307.6 High-Hazard Group H-4

307.7 High-Hazard Group H-5

307.1.2 Multiple hazards

307.8 Multiple hazards

307.1.3 Liquid use, dispensing and mixing rooms

307.1.4 Liquid storage rooms

307.2.3 Spill control and secondary containment for  
the storage of hazardous materials liquids and solids

307.2.4 Spill control and secondary containment for  
use of hazardous materials liquids

[F] 414.5 Inside storage, dispensing and use

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

- 307.1.3 Liquid use, dispensing and mixing rooms
- 307.1.4 Liquid storage rooms
- 307.1.5 Flammable for combustible liquid storage warehouses
- 307.1.6 Requirement for report
- 307.2 Construction, Height and Allowable Area
  - 307.2.3.1 Applicability
  - 307.2.9 Special provisions for Group H, Divisions 2 and 3 Occupancies
  - 307.2.10 Special provisions for Group H, Division 4 Occupancies
- 307.3 Location on Property
- 307.4 Access and Means of Egress Facilities thru
- 307.7 Sprinkler and Standpipe Systems
- 307.5.2 Ventilation in hazardous locations
- 307.8 Special Hazards
- 307.9 Fire Alarm Systems
- 307.10 Explosion Control
- 307.11 Group H, Division 6 Occupancies
- 307.12 Fabrication Area

**308 REQUIREMENTS FOR GROUP I OCCUPANCIES**

- 308.1 Group I Occupancies Defined
- 308.2 Construction, Height and Allowable Area
  - 308.2.2.1 Group I, Division 1.1 Smoke barriers
- 308.3 Location on Property thru
- 308.7 Sprinkler and Standpipe Systems
- 308.4 Access and Means of Egress Facilities
- 308.8 Special Hazards
- 308.9 Fire Alarm Systems
- 308.10 Smoke Detectors

**309 REQUIREMENTS FOR GROUP M OCCUPANCIES**

- 309.1 Group M Occupancies Defined
- 309.2 Construction, Height and Allowable Area
- 309.3 Location on Property

2006 International Building Code

- [F] 414 HAZARDOUS MATERIALS**
  - [F] 414.7.2 Dispensing, use and handling
- [F] 414 HAZARDOUS MATERIALS**
  - [F] 414.2 Control areas
  - [F] 415 Groups H-1, H-2, H-3, H-4 and H-5
  - [F] 414.6 Outside storage, dispensing and use
- 406.6 Repair garages
  - [F] 415.3 Location on property
- [F] 414.3 Ventilation
- 907.2.5 Group H
  - [F] 414.5.1 Explosion control
  - [F] Table 414.5.1—Explosion Control Requirements
  - [F] 415.9 Group H-5
- 308.2 Group I-1
- 308.3 Group I-2
- 407.1 General (Group I-2)
- 408.1 General (Group I-3)
- 308.4 Group I-3
- 407.1 General (Group I-2)
- 408 GROUP I-3**
- 407.4 Smoke barriers
- 408.3 Means of egress (Group I-3)
- 302.1.1 Incidental use areas
- 407.6 Automatic fire detection (Group I-2)
- 907.2.6 Group I
  - 907.2.6.2.3 Smoke detectors
- 309.1 Mercantile Group M

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

309.4 Access and Means of Egress Facilities

309.5 Light, Ventilation and Sanitation

309.6 Shaft and Exit Enclosure

309.7 Sprinkler and Standpipe Systems

309.8 Special Hazards

**310 REQUIREMENTS FOR GROUP R OCCUPANCIES**

310.1 Group R Occupancies Defined

310.2 Construction, Height and Allowable Area thru

310.3 Location on Property

310.2.2 Special provisions

310.4 Access and Means of Egress Facilities and  
Emergency Escapes

310.5 Light, Ventilation and Sanitation

310.6 Room Dimensions

310.7 Efficiency Dwelling Units

310.8 Shaft and Exit Enclosures

310.9 Smoke Detectors and Sprinkler Systems

310.10 Fire Alarm Systems

310.11 Heating

310.12 Special Hazards

**311 REQUIREMENTS FOR GROUP S OCCUPANCIES**

311.1 Group S Occupancies Defined

311.2 Construction, Height and Allowable Area

311.2.2 Special provisions

311.2.3.2 Marine or motor vehicle fuel-dispensing stations

311.2.3.5 Vehicle barriers

311.3 Location on Property

311.4 Access and Means of Egress Facilities

311.5 Light, Ventilation and Sanitation

311.6 Shaft and Exit Enclosures

311.7 Sprinkler and Standpipe Systems

311.8 Special Hazards

311.9 Group S, Division 4 Open Parking Garages

311.10 Helistops

**312 REQUIREMENTS FOR GROUP U OCCUPANCIES**

302.1.1 Incidental use areas

310.1 Residential Group "R"

302.1.1 Incidental use areas

**1025 EMERGENCY ESCAPE AND RESCUE**

**1208 INTERIOR SPACE DIMENSIONS**

1208.4 Efficiency dwelling units

**903 AUTOMATIC SPRINKLER SYSTEMS**

**907 FIRE ALARM AND DETECTION SYSTEMS**

**1204 TEMPERATURE CONTROL**

302.1.1 Incidental use areas

311.1 Storage Group S

311.2 Moderate-hazard storage, Group S-1

311.3 Low-hazard storage Group S-2

**406 MOTOR VEHICLE RELATED OCCUPANCIES**

**508 SPECIAL PROVISIONS**

406.1.2 Area increase

406.5 Motor fuel dispensing facilities

406.2.4 Vehicle barriers

413.1 General (Combustible storage)

406.3 Open parking garages

**508 SPECIAL PROVISIONS**

412.5 Heliports and helistops

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

- 312.1 Group U Occupancies Defined
- 312.2 Construction, Height and Allowable Area
  - 312.2.1 General
- 312.3 Location on Property
- 312.4 Special Hazards
- 312.5 Garage Floor Surfaces
- 312.6 Agricultural Buildings
- Table 3-A—Description of Occupancies by Group and Division
- Table 3-B—Required Separation in Buildings of Mixed Occupancy (Hours)
  
- Table 3-C—Required Separation of Specific-Use Areas in Group I, Division 1.1 Hospital and Nursing Homes
- Table 3-D—Exempt Amounts of Hazardous Materials Presenting a Physical Hazard Maximum Quantities Per Control Area
- Table 3-E—Exempt Amounts of Hazardous Materials Presenting A Health Hazard Maximum Quantities Per Control Area
- Table 3-F—Minimum Distances for Buildings Containing Explosive Materials
- Table 3-G—Required Detached Storage
  
- Table 3-H—Open Parking Garages Area and Height

2006 International Building Code

- 312.1 General (Utility and Miscellaneous Group U)
- 406 MOTOR VEHICLE-RELATED OCCUPANCIES**
  - 406.1.1 Classification (Private garages and carports)
  
  - 406.2.9 Attached to rooms
  - 406.2.6 Floor surface
  
- Table 302.3.2—Required Separation of Occupancies (Hours) Notes to Table 302.3.2
- 307.2 Definitions
  
- Table 302.1.1—Incidental use areas
- 407 GROUP I-2**
- 408 GROUP I-3**
  
- [F] Table 307.7(1)—Maximum Allowable Quantity Per Control Area of Hazardous Materials Posing a Physical Hazard
- [F] Table 307.7(2)—Maximum Allowable Quantity Per Control Area of Hazardous Material Posing a Health Hazard
- [F] Table 415.3.1—Minimum Separation Distances for Buildings Containing Explosive Materials
- [F] Table 415.3.2—Required Detached Storage
  
- [F] Table 415.9.2.1.1—Quantity Limits for Hazardous Motors in a Single Fabrication Area in Group H-5
- [F] 417 DRYING ROOMS**
- [F] 418 ORGANIC COATINGS**
  
- Table 406.3.5—Open Parking Garages Area and Height

**Chapter 4—Special Use and Occupancy**

- 401 SCOPE
- 402 ATRIA**
  - 402.1 General
  - 402.2 Smoke-control System
  - 402.3 Enclosure of Atria
  
  - 402.4 Escalators and Elevators
  - 402.5 Means of Egress
    - 402.5.1 Travel distance
  
- 401.1 Detail use and occupancy requirements
  
- 404.3 Automatic sprinkler protection
- 404.4 Smoke control
- 404.5 Enclosure of atriums
  - 404.1 General
  
- 1015 EXIT ACCESS TRAVEL DISTANCE**
  - 404.8 Travel distance



Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

- 402.6 Occupancy Separation Exceptions
- 402.7 Standby Power
- 402.8 Interior Finish
- 402.9 Acceptance of the Smoke-control System
- 402.10 Combustible Furnishings in Atria

**403 SPECIAL PROVISIONS FOR GROUP B OFFICE BUILDINGS AND GROUP R, DIVISION 1 OCCUPANCIES**

- 403.1 Scope
- 403.2 Automatic Sprinkler System
  - 403.2.2 Modifications
- 403.3 Smoke Detection
- 403.4 Smoke Control
- 403.5.2 Emergency voice/alarm signaling system
- 403.5.3 Fire department communication system
- 403.6 Central Control Station
- 403.7 Elevators
- 403.8 Standby Power, Light and Emergency Systems
- 403.9 Means of Egress
- 403.10 Seismic Considerations

**404 COVERED MALL BUILDINGS**

- 404.1.1 Purpose
- 404.1.2 Scope
- 404.1.3 Definitions
- 404.2.1 Type of Construction
- 404.2.2 Required yards for unlimited area
- 404.3.1 Automatic sprinkler system
- 404.3.3 Smoke-control system
- 404.3.4 Fire department access to equipment
- 404.3.5 Tenant separation
- 404.3.6 Public address system
- 404.3.7 Plastic panels and plastic signs
- 404.3.8 Lease plans
- 404.3.9 Openings between anchor building and mall

2006 International Building Code

**404 ATRIUMS**

- 404.6 Standby power
- 404.7 Interior finish
- 404.4 Smoke control
- 404.2 Use

- 403.1 Applicability (High-Rise Buildings)
- [F] 403.2 Automatic sprinkler system
- 403.3 Reduction in fire-resistance rating
- 403.4 Emergency escape and rescue
- 403.4 Emergency escape and rescue
- [F] 403.5 Automatic fire detection
- [F] 403.6 Emergency voice/alarm communication systems
- [F] 403.7 Fire department communication system
- [F] 403.8 Fire command
- 403.9 Elevators
- 403.10 Standby power, light and emergency systems
- 403.12 Stairway door operation
- 403.14 Seismic considerations

- 402.1 Scope (Covered Mall Buildings)
- 402.1 Scope (Covered Mall Buildings)
- 402.2 Definitions (Covered Mall Buildings)
- 402.6 Types of construction (Covered Mall Buildings)

**507 UNLIMITED AREA BUILDINGS**

- [F] 402.8 Automatic sprinkler system
- 402.9 Smoke control
- 402.15 Fire department access to equipment
- 402.7 Fire-resistance-rated separation
- [F] 402.13 Emergency voice/alarm communication system
- 402.14 Plastic signs
- 402.3 Lease plan
- 402.7 Fire-resistance-rated separation

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

404.3.10 Standby power

404.4 Means of Egress

404.4.7 Malls

404.4.8 Security grilles and doors

404.5 Occupancy

**405 STAGES AND PLATFORMS**

**406 MOTION PICTURE PROJECTION ROOMS**

**408 AMUSEMENT BUILDINGS**

**409 PEDESTRIAN WALKWAYS**

**410 MEDICAL GAS SYSTEMS IN GROUPS B AND I OCCUPANCIES**

**411 COMPRESSED GASES**

412 Aviation Control Towers

**413 DETENTION AND CORRECTION FACILITIES**

**414 AGRICULTURAL BUILDINGS BUILDINGS**

**415 GROUP R, DIVISION 3 OCCUPANCIES**

**416 GROUP R, DIVISION 4 OCCUPANCIES**

**417 BARRIERS FOR SWIMMING POOLS**

Appendix CH. 4, Div. II—Aviation Control Towers

Table A-4-A—Maximum Height of Aviation Control Towers (feet)

**Chapter 5: General Building Limitations**

**501 SCOPE**

**502 PREMISES IDENTIFICATION**

**503 LOCATION ON PROPERTY**

503.1 General

503.2 Fire Resistance of Walls

503.3 Buildings on Same Property and Buildings Containing Courts

503.4.1 General

**504 ALLOWABLE FLOOR AREAS**

504.1 One-Story Areas

504.2 Areas of Buildings over One Story

2006 International Building Code

402.12 Standby power

402.4 Means of egress

402.5 Mall width

402.10 Kiosks

402.11 Security grilles and doors

402.4.1 Determination of occupant load

**410 STAGES AND PLATFORMS**

**409 MOTION PICTURE PROJECTION ROOMS**

**411 SPECIAL AMUSEMENT BUILDINGS**

**3104 PEDESTRIAN WALKWAYS AND TUNNELS**

**307 HIGH-HAZARD GROUP H**

412.1 Airport traffic control towers

**308 INSTITUTIONAL GROUP I**

**408 GROUP I-3**

**APPENDIX C—GROUP U AGRICULTURAL**

**310 RESIDENTIAL GROUP R**

412.1 Airport traffic control towers

Table 412.1.2—Height and Area Limitations for Airport Traffic Control Towers

**501 GENERAL**

501.2 Premises identification

704.2 Projections

704.8 Allowable area of openings

503.1.3 Buildings on same lot

508.1 General (Special Provisions)

503.1 General (Height and Area Limitation)

506.4 Area determination

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

504.3 Allowable Floor Area of Mixed Occupancies

504.4 Mezzanines

504.5 Basements

504.6 Area Separation Walls

504.6.1 General

**505 ALLOWABLE AREA INCREASES**

505.1 General

505.2 Unlimited Area

505.3 Automatic Sprinkler Systems

**506 MAXIMUM HEIGHT OF BUILDINGS AND INCREASES**

**507 MEZZANINES**

**508 FIRE-RESISTIVE SUBSTITUTION**

509 Guardrails

Table 5-A—Exterior Wall and Opening Protection Based on Location on Property for all Construction Types

Table 5-B—Basic Allowable Building Heights and Basic Allowable Floor Area for Buildings One Story in Height

2006 International Building Code

507.6 High-hazard use groups

**505 MEZZANINES**

503.1.1 Basements

506.1.1 Basements

503.1 General

503.2 Party walls

506.1 General

507.3 Two-story

507.2 Sprinklered, one-story

507.1 Nonsprinklered, one-story

506.3 Automatic sprinkler system increase

504.2 Automatic sprinkler increase

504.3 Roof structures

504.1 General

505.1 General

505.2 Area limitation

505.3 Egress

505.4 Openness

406.2.3 Guards

**1012 GUARDS**

Table 602—Fire-Resistance Rating Requirements for Exterior Walls Based on Fire Separation Distance  
704.12 Opening protection

Table 503—Allowable Height and Building Areas

**Chapter 6: Types of Construction**

**601 CLASSIFICATION OF ALL BUILDINGS BY TYPES OF CONSTRUCTION AND GENERAL REQUIREMENTS**      **601 GENERAL**

601.1 General

601.2 Mixed Types of Construction

601.4 Structural Frame

601.5 Exceptions to Table 6-A

602.1 Definition

603.1 Definition

602.1 General

602.1.1 Minimum requirements

Table 601—Fire-Resistance Rating Requirements for Building Elements, NOTE 1

Table 601—Fire-Resistance Rating Requirements for Building Elements

**603 COMBUSTIBLE MATERIAL IN TYPE I AND II CONSTRUCTION**

602.2 Types I and II

602.2 Types I and II

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

**604 TYPE III BUILDINGS**

Table 601—Fire-Resistance Rating Requirements for Building Elements  
602.3 Type III

**605 TYPE IV BUILDINGS**

Table 601—Fire-Resistance Rating Requirements for Building Elements  
602.4 Type IV

**605 TYPE V BUILDINGS**

606.1 Definition

Table 601—Fire-Resistance Rating Requirements for Building Elements  
602.5 Type V

Table 6-A—Types of Construction-Fire Resistive Requirements (In Hours)

Table 601—Fire-Resistance Rating Requirements for Building Elements  
Table 602—Fire-Resistance Rating Requirements for Exterior Walls Based on Fire Separation Distance

**Chapter 7: Fire-Resistant Materials and Construction**

701 SCOPE.

**701 GENERAL**

701.1 Scope

**702 DEFINITIONS**

**702 DEFINITIONS**

**703 FIRE-RESISTIVE MATERIALS AND SYSTEMS TESTS**

**703 FIRE-RESISTANCE RATINGS AND FIRE**

703.1 General

703.1 Scope

703.3 Alternative methods for determining fire resistance

**720 Prescriptive Fire Resistance**

703.2 Qualification by Testing

703.2 Fire-resistance ratings

703.2.3 Restrained classification

703.3 Calculating Fire Resistance

703.3 Alternative methods for determining fire resistance

**721 CALCULATED FIRE RESISTANCE**

703.4 Standards of Quality

102.4 Referenced codes and standards

Chapter 35 Referenced Standards

**704 PROTECTION OF STRUCTURAL MEMBERS STRUCTURAL**

**714 FIRE-RESISTANCE RATING OF MEMBERS**

704.1 General

720.1 General

704.2 Protective Coverings

720.1.1 Thickness of protective coverings

704.2.1 Thickness of protection

720.1.1 Thickness of protective coverings

704.2.2 Unit masonry protection

720.1.2 Unit masonry protection

704.2.3 Reinforcement for cast-in-place concrete column protection

720.1.3 Reinforcement for cast-in-place concrete column protection

704.2.4 Embedment of pipes

714.3 Embedments and enclosures

704.2.5 Column jacketing

714.4 Impact protection

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

- 704.2.6 Ceiling membrane protection
- 704.2.7 Plaster application
- 704.2.8 Truss protection
- 704.3 Protected Members
- 704.3.1 Attached metal members
- 704.3.2 Reinforcing
- 704.3.3 Bonded prestressed concrete tendons
- 704.4 Members Carrying Masonry or Concrete
- 704.5 Fire-resistive Material Omitted
- 704.6 Spray-applied Fire-resistive Materials

**705 PROJECTIONS**

**706 FIRE-RESISTIVE JOINT SYSTEMS**

- 706.1 General
- 706.2 Fire-resistive Joint Systems

**707 INSULATION MATERIALS**

- 707.1 General
- 707.2 Insulation and Covering on Pipe and Tubing
- 707.3 Insulation

**708 FIRE BLOCKS AND DRAFT STOPS**

- 708.1 General
- 708.2 Fire Blocks
- 708.2.1 Where required
- 708.2.2 Fire block construction
- 708.3 Draft Stops

2006 International Building Code

- 714.2.1 Individual protection
- 714.2.2 Column protection above ceilings
- 720.1.4 Plaster application
- 714.2.3 Truss protection
- 714.2.4 Attachments to structural members
- 714.2.5 Reinforcing
- 720.1.5 Bonded prestressed concrete tendons
- 714.6 Bottom flange protection
- 1704.11 Sprayed fire-resistant materials
- 704.2.1 Types I and II construction
- 704.2.2 Types III, IV and V construction
- 704.2.3 Combustible projections

**713 FIRE-RESISTANT JOINT SYSTEMS**

- 713.1 General
- 713.2 Installation
- 713.3 Fire Test Criteria

**719 THERMAL- AND SOUND-INSULATING**

- 719.1 General
- 719.7 Insulation and covering on pipe and tubing
- 719.2 Concealed installation
- 719.3 Exposed installation
- 719.4 Loose-fill insulation
- 719.5 Roof insulation
- 719.6 Cellulose loose-fill insulation

**717 CONCEALED SPACES**

- 717.1 General
- 717.2 Fireblocking
- 717.2.2 Concealed wall spaces
- 717.2.3 Connections between horizontal and vertical spaces
- 717.2.4 Stairways
- 717.2.5 Ceiling and floor openings
- 717.2.6 Architectural trim
- 717.2.7 Concealed sleeper spaces
- 717.2.1 Fireblocking materials
- 717.2.1.1 Double stud walls
- 717.3 Draftstopping in floors
- 717.4 Draftstopping in attics

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

- 708.3.1 Where required
  - 708.3.1.1 Floor-ceiling assemblies
    - 708.3.1.1.1 Single-family dwellings
    - 708.3.1.1.2 Two or more dwelling units and hotels
    - 708.3.1.1.3 Other uses
  - 708.3.1.2 Attics
    - 708.3.1.2.1 Two or more dwelling units and hotels
    - 708.3.1.2.2 Other uses
  - 708.3.1.3 Draft stop construction
- 708.4 Draft Stops or Fire Blocks in Other Location

**709 WALLS AND PARTITIONS**

- 709.1 General
- 709.2 Combustible Members
- 709.3 Exterior Walls
  - 709.3.1 Extension through attics and concealed spaces
  - 709.3.2 Vertical fire spread at exterior walls
    - 709.3.2.1 General
    - 709.3.2.2 Interior
    - 709.3.2.3 Exterior
  - 709.4 Parapets
    - 709.4.1 General
    - 709.4.2 Construction
  - 709.5 Nonsymmetrical Wall Construction
  - 709.6 Through Penetrations
    - 709.6.1 General
    - 709.6.2 Fire-rated assembly
    - 709.6.3 Penetration firestop system
  - 709.7 Membrane Penetrations
  - 709.8 Joints

**710 FLOOR CEILINGS OR ROOF CEILINGS**

2006 International Building Code

- 717.3 Draftstopping in floors
- 717.4 Draftstopping in attics
  - 717.3 Draftstopping in floors
  - 717.3.2 Groups R-1, R-2, R-3 and R-4
  - 717.3.2 Groups R-1, R-2, R-3, and R-4
  - 717.3.3 Other Groups
- 717.4 Draftstopping in attics
  - 717.4.2 Groups R-1 and R-2
  - 717.4.3 Other groups
- 717.3.1 Draftstop materials
- 717.4.1 Draftstopping materials
  - 717.4.1.1 Openings
- 717.5 Combustibles in concealed spaces in Types I and II construction

**706 FIRE BARRIERS**

- 703.2 Fire resistance ratings
- 706.1 General

**704 EXTERIOR WALLS**

- 704.9 Vertical separation of openings
- 704.9 Vertical separation of openings
- 704.9 Vertical separation of openings
- 713.4 Exterior curtain wall/floor intersection
- 704.9 Vertical separation of openings
- 704.11 Parapets
  - 704.11 Parapets
  - 704.11.1 Parapet construction
- 703.2.1 Nonsymmetrical wall construction

**712 PENETRATIONS**

- 712.3 Fire-resistance-rated walls
  - 712.3.1 Through penetrations
    - 712.3.1.1 Fire-resistance-rated assembly
    - 712.3.1.2 Through-penetration firestop system
  - 712.3.2 Membrane penetrations
  - 712.3.4 Dissimilar materials

- 704.13 Joints; 705.10 Joints; 706.9 Joints; 707.9 Joints; 708.8 Joints; 709.7 Joints; 710.6 Joints

**711 HORIZONTAL ASSEMBLIES**

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
710.1 General	703.2 Fire resistance ratings 711.1 General 711.3.1 Ceiling panels
710.2 Through Penetrations	712.4 Horizontal assemblies
710.2.1 General	712.4 Horizontal assemblies 712.4.1 Through penetrations
710.2.2 Fire-rated assemblies	712.4.1.1 Fire-resistance-rated assemblies
710.2.3 Penetration firestop system	712.4.1.2 Through-penetration firestop system
710.3 Membrane Penetrations	712.4.2 Membrane penetrations
710.4 Roofs	712.4 Horizontal assemblies
710.5 Wiring in Plenums	711.4 Continuity IMC 602.2.1.1 Wiring
710.6 Joints	704.13 Joints; 705.10 Joints; 706.9 Joints; 707.9 Joints; 708.8 Joints; 709.7 Joints; 710.6 Joints
<b>711 SHAFT ENCLOSURES</b>	<b>707 SHAFT ENCLOSURES</b>
711.1 General	707.1 General
711.2 Extent of Enclosures	707.2 Shaft enclosure required 707.5 Continuity 707.11 Enclosure at the bottom 707.12 Enclosure at the top
711.3 Special Provision	707.2 Shaft enclosure required
711.4 Protection of Openings	707.7 Openings 716.2.1 Smoke-control system 716.2.2 Hazardous exhaust ducts
711.5 Rubbish and Linen Chute Termination Rooms	707.13 Refuse and laundry chutes
711.6 Chute and Dumbwaiter Shafts	707.14 Elevator and dumbwaiter shafts
<b>712 USABLE SPACE UNDER FLOORS</b>	413.2 Attic, under-floor and concealed spaces
<b>713 FIRE-RESISTIVE ASSEMBLIES FOR PROTECTION OF OPENINGS</b>	<b>715 OPENING PROTECTIVES</b>
713.1 General	714.1 General
713.2 Definitions	<b>702 DEFINITIONS</b>
713.2 Fire Assembly	702.1 Fire damper; fire door assembly; fire window assembly
713.2 Fire Assembly, Automatic-closing	715.3.7.2 Automatic-closing fire door assemblies
713.2 Fire Assembly, Self-closing	702.1 Self-closing
713.3 Identification of Fire Doors, Fire Windows and Fire Dampers	715.3.5 Labeled protective assemblies 715.3.5.1 Labeling requirements 715.3.5.2 Oversized doors
713.4 Installation of Fire Doors, Hardware and Frames, and Fire Dampers	715.3 Fire door and shutter assemblies 716.2 Installation

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

713.5 Fire-resistive Tests

713.6 Hardware

713.6.1 Closing devices

713.6.2 Hinges

713.6.3 Latch

713.7 Glazed Openings in Fire Doors

713.8 Fire Window Size

713.9 Glazing

713.10 Smoke Dampers

713.11 Fire Dampers

713.12 Installation

713.13 Signs

**714 THROUGH-PENETRATION FIRE STOPS**

Table 7-A—Minimum Protection of Structural Parts Based on Time Periods For Various Noncombustible Insulating Materials

Table 7-B—Rated Fire-Resistive Periods For Various Walls and Partitions

Table 7-C—Minimum Protection for Floor and Roof Systems

Table 7-D—Preconditioning Cycles for Fire-Resistive Joint Systems

**Chapter 8: Interior Finishes**

**801 GENERAL**

801.1 Scope

2006 International Building Code

715.3 Fire door and shutter assemblies

716.3 Damper testing and ratings

715.3.7 Door closing

715.4.7 Door closing

715.3 Fire door and shutter assemblies

715.3.7.1 Latch required

715.3.6 Glazing material

715.4 Fire-protection rated glazing

715.4.3 Wired glass

715.4.4 Nonwired glass

715.3.6.3 Labeling

715.3.6.4 Safety glazing

**716 DUCTS AND AIR TRANSFER OPENINGS**

716.1 General

716.2 Installation

716.2.1 Smoke control system

716.3.2 Smoke damper ratings

716.4 Access and identification

716.5 Where required

**716 DUCTS AND AIR TRANSFER OPENINGS**

716.1 General

716.4 Access and identification

716.5.2 Fire barriers

716.5.4 Fire partitions

716.3 Damper testing and ratings

**712 PENETRATIONS**

712.2 Installation details

Table 720.1(1)—Minimum Protection of Structural Parts Based on Time Periods For Various Noncombustible Insulating Materials

Table 720.1(2)—Rated Fire Resistance Periods For Various Walls and Partitions

Table 720.1(3)—Minimum Protection for Floor and Roof Systems

**801 GENERAL**

801.1 Scope

801.2 Application



Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

801.2 Standards of Quality

102.4 Referenced codes and standards

**CHAPTER 35 REFERENCED STANDARDS**

801.3 Veneer

**802 TESTING AND CLASSIFICATION OF MATERIALS**

**803 WALL AND CEILING FINISHES**

802.1 Testing

803.1 General

803.3 Stability

802.2 Classification

803.1 General

**803 APPLICATION OF CONTROLLED INTERIOR FINISH**

803.4 Application

**804 MAXIMUM ALLOWABLE FLAME SPREAD**

803.5 Interior finish requirements based on Group

804.1 General

803.5 Interior finish requirements based on Group

804.2 Carpeting on Ceilings

803.6.2 Textile ceiling finish

**805 TEXTILE WALL COVERINGS**

803.6 Textiles

803.6.1 Textile wall coverings

**806 INSULATION**

803.8 Insulation

**807 SANITATION**

**1210 SURROUNDING MATERIALS**

807.1 Floors and Walls in Water Closet Compartment and Showers

**1210 SURROUNDING MATERIALS**

807.1.1 Floors

1210.1 Floors

807.1.2 Walls

1210.2 Walls

807.1.3 Showers

1210.3 Showers

807.1.4 Shower doors

807.2 Water Closet Room Separation

1210.5 Toilet rooms

Table 8-A—Flame-Spread Classification

803.1 General

Table 8-B—Maximum Flame-Spread Class

Table 803.5—Interior Wall and Ceiling Finish Requirements By Occupancy

**Chapter 9: Fire-Protection Systems**

901 SCOPE

**901 GENERAL**

901.1 Scope

**902 STANDARDS OF QUALITY**

102.4 Referenced codes and standards

**CHAPTER 35 REFERENCED STANDARDS**

**903 DEFINITIONS**

**902 DEFINITIONS**

**904 FIRE-EXTINGUISHING SYSTEMS**

**[F] 903 AUTOMATIC SPRINKLER SYSTEMS**

904.1 Installation Requirements

[F] 903.1 General

904.1.1 General

901.2 Fire protection systems; 901.4 Threads;  
[F] 903.1 General; [F] 903.2.6.1 High-piled storage;  
[F] 903.3.6 Hose threads;  
[F] 903.3.7 Fire department connections;  
[F] 905.1 General (Standpipes)

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

904.1.2 Standards	[F] 903.3 Installation requirements [F] 903.3.1.2 NFPA 13R sprinkler locations [F] 903.3.5.1 Domestic services
904.1.3 Modifications	[F] 903.3.1.2 NFPA 13R sprinkler locations
904.2 Automatic Fire-extinguishing Systems	[F] 903.2 Where required
904.2.1 Where required	[F] 903.2 Where required
904.2.2 All occupancies except Group R, Division 3 and Group U Occupancies	[F] 903.2.4.3 Pyroxylin plastics [F] 903.2.10.1 Stories and basements without openings [F] 903.2.10.2 Rubbish and linen chutes [F] 903.2.10.3 Buildings over 55 feet in height
904.2.3 Group A Occupancies	[F] 903.2.1 Group A
904.2.3.1 Drinking establishments	[F] 903.2.1.2 Group A-2
904.2.3.2 Basements	[F] 903.2.1.1 Group A-1; [F] 903.2.1.2 Group A-2; [F] 903.2.1.3 Group A-3; [F] 903.2.1.4 Group A-4
904.2.3.3 Exhibition and display rooms	[F] 903.2.1.3 Group A-3
904.2.3.4 Stairs	413.2 Attic, under-floor and concealed spaces
904.2.3.5 Multitheater complexes	[F] 903.2.1.1 Group A-1
904.2.3.6 Amusement buildings	[F] 903.2.13 Other required suppression systems
904.2.3.7 Stages	[F] 903.2.13 Other required suppression systems
904.2.3.8 Smoke-protected assembly seating	1024.6.2.3 Automatic sprinklers
904.2.4 Group E Occupancies	[F] 903.2.2 Group E
904.2.4.1 General	[F] 903.2.2 Group E
904.2.4.2 Basements	[F] 903.2.2, Item 2
904.2.4.3 Stairs	413.2 Attic, under-floor and concealed spaces
904.2.5 Group F Occupancies	[F] 903.2.3 Group F-1
904.2.5.1 Woodworking Occupancies	[F] 903.2.3.1 Woodworking operations
904.2.6 Group H Occupancies	[F] 903.2.4 Group H
904.2.6.1 General	[F] 903.2.4.1 General [F] 903.2.13 Other required suppression systems
904.2.6.2 Group H, Division 4 Occupancies	[F] 903.2.8.1 Repair garages
904.2.6.3 Group H, Division 6 Occupancies	[F] 903.2.4.2 Group H-5
904.2.7 Group I Occupancies	[F] 903.2.5 Group I [F] 903.2.13 Other required suppression systems
904.2.8 Group M Occupancies	[F] 903.2.6 Group M
904.2.9 Group R, Division 1 Occupancies	[F] 903.2.7 Group R
904.3 Sprinkler System Monitoring and Alarms	[F] 903.4 Sprinkler system monitoring and alarms
904.3.1 Where required	[F] 903.4 Sprinkler system monitoring and alarms [F] 905.9 Valve supervision
904.3.2 Alarms	[F] 903.4.2 Alarms

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
904.4 Permissible Sprinkler Omissions	[F] 903.3.1.1.1 Exempt locations
904.5 Standpipes	<b>[F] 905 STANDPIPE SYSTEMS</b>
904.5.1 General	[F] 905.2 Installation standards
904.5.2 Where required	[F] 905.3 Required installations
904.5.3 Location of Class I standpipes	[F] 905.4 Location of Class I standpipe hose connections
904.5.4 Location of Class II standpipes	[F] 905.5 Location of Class II standpipe hose connections
904.5.5 Location of Class III standpipes	[F] 905.6 Location of Class III standpipe hose connections
904.6 Buildings under Construction	<b>[F] 3311 STANDPIPES</b>
904.6.1 General	[F] 3311.1 Where required
904.6.2 Where required	[F] 3311.1 Where required
904.6.3 Temporary standpipes	[F] 3311.3 Detailed requirements
904.6.4 Detailed requirements	[F] 3311.3 Detailed requirements
904.7 Basement Pipe Inlets	Deleted
<b>905 SMOKE CONTROL</b>	<b>909 SMOKE CONTROL SYSTEMS</b>
905.1 Scope and Purpose	909.1 Scope and purpose
	909.2 General design requirements
905.2 Design Methods	909.4 Analysis
905.2.1 General	909.4 Analysis
905.2.2 Rationality	909.4 Analysis
905.2.2.1 General	909.4 Analysis
905.2.2.2 Stack effect	909.4.1 Stack effort
905.2.2.3 Temperature effect of fire	909.4.2 Temperature effect of fire
905.2.2.4 Wind effect	909.4.3 Wind effect
905.2.2.5 HVAC systems	909.4.4 HVAC systems
905.2.2.6 Climate	909.4.5 Climate
905.2.3 Smoke barrier construction	909.5 Smoke barrier construction
	909.5.1 Leakage area
905.2.4 Opening protection	909.5.2 Opening protection
	909.5.2.1 Ducts and air transfer openings
905.2.5 Duration of operation	909.4.6 Duration of operation
905.3 Pressurization Method	909.6 Pressurization method
905.3.1 General	909.6 Pressurization method
905.3.2 Minimum pressure difference	909.6.1 Minimum pressure difference
905.3.3 Maximum pressure difference	909.6.2 Maximum pressure difference
905.4 Airflow Method	909.7 Airflow design method

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
905.4.1 General	909.7 Airflow design method
905.4.2 Velocity	909.7.1 Velocity
905.4.3 Prohibited conditions	909.7.2 Prohibited conditions
905.5 Exhaust Method	909.8 Exhaust method
905.5.1 General	909.8 Exhaust method
905.5.2 Exhaust rate	909.8.1 Exhaust rate
905.5.2.1 General	909.8.1 Exhaust rate
905.5.2.2 Axisymmetric plumes	909.8.2 Axisymmetric plumes
905.5.2.3 Balcony spill plumes	909.8.3 Balcony spill plumes
905.5.2.4 Window plumes	909.8.4 Window plumes
905.5.2.5 Plume contact with walls	909.8.5 Plume contact with walls
905.6 Design Fire	909.9 Design fire
905.6.1 General	909.9 Design fire
905.6.2 Rational analysis	909.9 Design fire
905.6.2.1 Factors considered	909.9.1 Factors considered
905.6.2.2 Separation distance	909.9.2 Separation distance
905.6.2.3 Heat-release assumptions	909.9.3 Heat-release assumptions
905.6.2.4 Sprinkler effectiveness assumptions	909.9.4 Sprinkler effectiveness assumptions
905.7 Equipment	909.10 Equipment
905.7.1 General	909.10 Equipment
905.7.2 Exhaust fans	909.10.1 Exhaust fans
905.7.3 Ducts	909.10.2 Ducts
905.7.4 Equipment, inlets and outlets	909.10.3 Equipment, inlets and outlets
905.7.5 Automatic dampers	909.10.4 Automatic dampers
905.7.6 Fans	909.10.5 Fans
905.8 Power Systems	909.11 Power systems
905.8.1 General	909.11 Power systems
905.8.2 Power sources and power surges	909.11.1 Power sources and power surges
905.9 Detection and Control Systems	909.12 Detection and control systems
905.9.1 General	909.12 Detection and control systems
905.9.2 Wiring	909.12.1 Wiring
905.9.3 Activation	[F] 909.12.2 Activation
905.9.4 Automatic control	[F] 909.12.3 Automatic control
905.9.5 Smoke detection	
905.10 Control Air Tubing	909.13 Control air tubing
905.10.1 General	909.13 Control air tubing
905.10.2 Materials	909.13.1 Materials

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

905.10.3 Isolation from other functions

909.13.2 Isolation from other functions

905.10.4 Testing

905.13.3 Testing

905.11 Marking and Identification

909.14 Marking and identification

905.12 Control Diagrams

[F] 909.15 Control diagrams

905.13 Firefighter's Control Panel

[F] 909.16 Fire-fighter's smoke control panel

905.13.1 General

[F] 909.16 Firefighter's smoke control panel

[F] 909.16.1 Smoke control systems

905.13.2 Smoke-control capability

[F] 909.16.2 Smoke control panel

905.13.3 Control action and priorities

[F] 909.16.3 Control action and priorities

905.14 Response Time

[F] 909.17 System response time

905.15 Acceptance Testing

[F] 909.18 Acceptance testing

905.15.1 General

[F] 909.18 Acceptance testing

905.15.2 Detection devices

[F] 909.18.1 Detection devices

905.15.3 Ducts

[F] 909.18.2 Ducts

905.15.4 Dampers

[F] 909.18.3 Dampers

905.15.5 Inlets and outlets

[F] 909.18.4 Inlets and outlets

905.15.6 Fans

[F] 909.18.5 Fans

905.15.7 Smoke barriers

[F] 909.18.6 Smoke barriers

905.15.8 Controls

[F] 909.18.7 Controls

905.15.9 Reports

[F] 909.18.8 Special inspections for smoke control

905.15.10 Identification and documentation

[F] 909.18.9 Identification and documentation

905.16 Acceptance

[F] 909.19 System acceptance

**906 SMOKE AND HEAT VENTING**

**[F] 910 SMOKE AND HEAT VENTS**

906.1 When Required

[F] 910.1 General

[F] 910.2 Where required

[F] 910.3.1 Vent operation

906.2 Mixed Occupancies

906.3 Types of Vents

[F] 910.3.1 Vent operation

[F] 910.3.3 Vent locations

906.4 Releasing Devices

[F] 910.3.1 Vent operation

906.5 Size and Spacing of Vents

[F] 910.3.2 Vent dimensions

906.5.1 Effective venting area

[F] 910.3.2 Vent dimensions

906.5.2 Spacing

[F] 910.3 Design and installation

906.5.3 Venting ratios

[F] 910.3 Design and installation

906.6 Curtain Boards

[F] 910.3.4 Draft curtains

906.6.1 General

[F] 910.3.4 Draft curtains

906.6.2 Construction

[F] 910.3.4.1 Construction

906.6.3 Location and depth

[F] 910.3.4.2 Location and depth

1997 Uniform Building Code

2006 International Building Code

906.6.4 Spacing

[F] 910.3 Design and installation

Table 9-A—Standpipe Requirements

[F] 905.3 Required Installations

## Chapter 10: Means of Egress

### 1001 ADMINISTRATIVE

1001.1 Scope

1001.2 Standards of Quality

### 1002 DEFINITIONS

### 1003 GENERAL

1003.1 Means of Egress

1003.2 System Design Requirements

1003.2.1 Use

1003.2.1.1 General

1003.2.1.2 Change in use

1003.2.2 Occupant load

1003.2.2.1 General

1003.2.2.2 Determination of occupant load

1003.2.2.2.1 Areas to be included

1003.2.2.2.2 Area without fixed seats

1003.2.2.2.3 Areas with fixed seats

1003.2.2.2.4 Outdoor areas

1003.2.2.2.5 Reviewing stands, grandstands and bleachers

1003.2.2.3 Maximum occupant load

1003.2.2.3.1 Assembly occupancies

1003.2.2.3.2 Other occupancies

1003.2.2.4 Minimum occupant load

1003.2.2.5 Revised occupant load

1003.2.3 Width

1003.2.3.1 General

1003.2.3.2 Minimum width

1003.2.3.3 Maintaining width

1003.2.3.4 Exiting from adjacent levels

1003.2.3.5 Two-way exits

### 1001 ADMINISTRATION

1001.1 General

1003.1 Applicability

1002.1 Definitions

### 1003 GENERAL MEANS OF EGRESS

1003.1 Applicability

1003.1 Applicability

1004.1 Design occupant load

1004.1 Design occupant load

1004.1.1 Actual number

1004.1.2 Number by Table 1004.1.2

1004.1.3 Number by combination

1004.1 Design occupant load

1004.7 Fixed seating

1004.8 Outdoor areas

1004.1 Design occupant load

1004.1 Design occupant load

1004.1 Design occupant load

1004.1 Design occupant load

1004.2 Increased occupant load

### 1005 EGRESS WIDTH

### 1005 EGRESS WIDTH

1005.2 Door encroachment

1005.2 Door encroachment

1004.4 Exiting from multiple levels

1004.5 Egress convergence

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1003.2.4 Height	1003.2 Ceiling height 1003.3 Protruding objects 1003.3.1 Headroom
1003.2.5 Exit continuity	1003.6 Means of egress continuity
1003.2.6 Changes in elevation	1003.5 Elevation change
1003.2.7 Elevators or escalators	1003.7 Elevators, escalators, and moving walks
1003.2.8 Means of egress identification	<b>1011 EXIT SIGNS</b>
1003.2.8.1 General	
1003.2.8.2 Where required	1011.1 Where required
1003.2.8.3 Graphics	1011.5.1 Graphics
1003.2.8.4. Illumination	1011.2 Exit sign illumination
1003.2.8.5 Power source	1011.5.3 Power source
1003.2.9 Mean of egress illumination	<b>1006 MEANS OF EGRESS ILLUMINATION</b>
	1006.2 Illumination level
1003.2.9.1 General	
1003.2.9.2 Power supply	1006.2 Illumination emergency power
1003.2.10 Building accessibility	
1003.3 Means of Egress Components	
1003.3.1 Doors	<b>1008 DOORS, GATES AND TURNSTILES</b>
1003.3.1.1 General	
1003.3.1.2 Special doors	1008.1.3 Special doors 1008.1.3.1 Revolving doors 1008.1.3.1.1 Egress component 1008.1.3.1.2 Other than egress component 1008.1.3.2 Power-operated doors 1008.1.3.3 Horizontal sliding doors 1008.1.3.4 Access-controlled egress doors 1008.1.3.5 Security grilles
1003.3.1.3 Width and height	1008.1.1 Size of doors
1003.3.1.4 Door leaf width	
1003.3.1.5 Swing and opening force	1008.1.2 Door swing
1003.3.1.6 Floor level at doors	1008.1.4 Floor elevation 1008.1.6 Thresholds
1003.3.1.7 Landings at doors	1008.1.5 Landings at doors
1003.3.1.8 Type of lock or latch	1008.1.8.3 Locks and Latches 1008.1.8.4 Bolt locks
1003.3.1.9 Panic hardware	1008.1.9 Panic and fire exit hardware
1003.3.1.10 Special egress-control devices	1008.1.8.6 Delayed egress locks 1008.1.3.4 Access-controlled egress doors
1003.3.1.11 Safety glazing identification	
1003.3.2 Gates	1008.2 Gates

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1003.3.2.1 General

1003.3.2.2 Detailed requirements

1003.3.3 Stairways

1003.3.3.1 General

1003.3.3.2 Width

1003.3.3.3 Rise and run

1003.3.3.4 Headroom

1003.3.3.5 Landings

1003.3.3.6 Handrails

1003.3.3.7 Guardrails

1003.3.3.8 Alternate stairways

1003.3.3.8.1 Circular stairways

1003.3.3.8.2 Winding stairways

1003.3.3.8.3 Spiral stairways

1003.3.3.9 Interior stairway construction

1003.3.3.10 Protection of exterior wall openings

1003.3.3.11 Stairway to roof

1003.3.3.12 Roof hatches

1003.3.3.13 Stairway identification

1003.3.4 Ramps

1003.3.4.1 General

1003.3.4.2 Width

1003.3.4.3 Slope

1003.3.4.4 Landings

1003.3.4.5 Handrails

**1009 STAIRWAYS AND HANDRAILS**

1009.1 Stairway width

1009.11.7 Stairway projections

1009.3 Stair treads and risers

1009.2 Headroom

1009.4 Stairway landings

1009.10.1 Handrails of alternating tread devices

1009.11 Handrails

1009.11.1 Height

1009.11.2 Intermediate handrails

1009.11.3 Handrail graspability

1009.11.4 Continuity

1009.11.5 Handrail extensions

1009.11.6 Clearance

**1012 GUARDS**

1012.2 Height

1012.3 Opening limitations

1012.4 Screen porches

1012.5 Mechanical equipment

1009.7 Circular stairways

1009.8 Winders

1009.9 Spiral stairways

1019.1.4 Vertical enclosure exterior walls

1009.12 Stairway to roof

1009.12.1 Roof access

**1010 RAMPS**

1010.5.1 Width

1010.2 Slope

1010.3 Cross slope

1010.6 Landings

1010.5.3 Restrictions

1010.8 Handrails



Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1003.3.4.6 Guardrails

1010.10 Guards

1003.3.4.7 Construction

1010.7 Ramp construction

1003.3.4.8 Surface

1010.7.1 Ramp Surface

1010.7.2 Outdoor conditions

**1004 THE EXIT ACCESS**

**1013 EXIT ACCESS**

1004.1 General

1013.1 General

1004.2 Exit-access Design Requirements

1004.2.1 General

1013.2 Egress through intervening spaces

1004.2.2 Travel through intervening rooms

1004.2.3 Access to exits

1004.2.3.1 General

1004.2.3.2 From individual floors

1018.1 Minimum number of exits

1018.1.1 Open parking structures

1004.2.3.3 From individual spaces

1014.1 Exit or exit access doorways required

1018.1 Minimum number of exits

1018.1.1 Open parking structures

1004.2.3.4 Additional access to exits

1014.2.1 Two exit or exit access doorways

1004.2.4 Separation of exits or exit-access doorways

1014.2 Exit or exit access doorway arrangement

1004.2.5 Travel distance

**1015 EXIT ACCESS TRAVEL DISTANCE**

1004.2.5.1 General

1004.2.5.2 Maximum travel distance

1004.2.5.2.1 Nonsprinklered buildings

1004.2.5.2.2 Sprinklered buildings

1004.2.5.2.3 Corridor increases

1015.3 Exterior egress balcony increase

1004.2.5.2.4 Open parking garages

**1015 EXIT ACCESS TRAVEL DISTANCE**

**1015 EXIT ACCESS TRAVEL DISTANCE**

1004.2.5.2.5 Factory, hazardous and storage occupancies

1004.2.6 Dead ends

1016.3 Dead ends

1004.3 Exit-access Components

1004.3.1 General

1004.3.2 Aisles

1013.4 Aisles

1004.3.2.1 General

1004.3.2.2 Width in occupancies without fixed seats

1013.4 Aisles

1004.3.2.3 Occupancies with fixed seats

1024.9 Assembly aisles are required

1004.3.2.3.1 Width

1024.6 Width of means of egress for assembly

1024.6.1 Without smoke protection

1024.6.3 Width of means of egress for outdoor smoke protected assembly

1024.9.1 Minimum aisles width

1024.9.2 Aisle width

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1004.3.2.3.2 Seat spacing	1024.10 Clear width of aisle access ways serving seating 1024.10.1 Dual access 1024.10.2 Single access
1004.3.2.4 Aisle termination	1024.9.5 Assembly aisle termination
1004.3.2.5 Aisle steps	
1004.3.2.5.1 Where prohibited	1024.11 Assembly aisle walking surface
1004.3.2.5.2 Where required	1024.11 Assembly aisle walking surface
1004.3.2.6 Ramp slope	1024.11 Assembly aisle walking surface
1004.3.2.7 Handrails	1024.13 Handrails
1004.3.3 Hallways	
1004.3.3.1 General	
1004.3.3.2 Width	
1004.3.3.3 Construction	
1004.3.3.4 Openings	
1004.3.3.5 Elevator lobbies	
1004.3.4 Corridors	<b>1016 CORRIDORS</b>
1004.3.4.1 General	
1004.3.4.2 Width	1016.2 Corridor width
1004.3.4.3 Construction	1016.1 Construction
1004.3.4.3.1 Fire-resistive materials	
1004.3.4.3.2 Openings	708.6 Openings
1004.3.4.3.2.1 Doors	715.3.3 Doors in corridors and smoke barriers
1004.3.4.3.2.2 Windows	715.3 Fire door and shutter assemblies
1004.3.4.3.2.3 Duct openings	
1004.3.4.4 Intervening rooms	1016.5 Corridor continuity
1004.3.4.5 Elevators	
<b>1005 THE EXIT</b>	<b>1017 EXITS</b>
1005.1 General	1017.1 General
1005.2 Exit Design Requirements	
1005.2.1 Separation of exits	1014.2 Exit or exit access doorway arrangement 1014.2.2 Three or more
1005.2.2 Travel distance	
1005.2.3 Travel through intervening rooms	
1005.3 Exit components	<b>1017 EXITS</b>
1005.3.1 General	
1005.3.2 Exterior exit doors	1017.2 Exterior exit doors
1005.3.2.1 General	

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
1005.3.2.2 Detailed requirements	1017.2 .1 Detailed requirements
1005.3.2.3 Arrangement	1017.2.2 Arrangement
1005.3.3 Exit enclosures	<b>1019 VERTICAL EXIT ENCLOSURES</b>
1005.3.3.1 General	
1005.3.3.2 Construction	1019.1.4 Vertical enclosure exterior walls 1019.1.5 Enclosures under stairways
1005.3.3.3 Extent of enclosure	
1005.3.3.4 Barrier	1019.1.6 Discharge identification
1005.3.3.5 Openings and penetrations	1019.1.1 Openings and penetrations 1019.1.2 Penetrations
1005.3.3.6 Use of space under stairway or ramp	
1005.3.3.7 Pressurized enclosure	1019.1.8 Smokeproof enclosures
1005.3.3.7.1 Vestibules	1019.1.8.2 Enclosure access
1005.3.3.7.1.1 Vestibule size	909.20.1 Access 909.20.3.3 Vestibule ventilation
1005.3.3.7.1.2 Vestibule construction	909.20.2 Construction
1005.3.3.7.1.3 Vestibule doors	909.20.3.2 Vestibule door 909.20.4.1 Vestibule doors
1005.3.3.7.1.4 Pressure differences	
1005.3.3.7.1.5 Standpipes	
1005.3.4 Exit passageways	<b>1020 EXIT PASSAGEWAY</b>
1005.3.4.1 General	
1005.3.4.2 Width	1020.2 Width
1005.3.4.3 Construction	1020.3 Construction
1005.3.4.4 Openings and penetrations	1020.4 Openings and penetrations
1005.3.4.5 Intervening rooms	
1005.3.4.6 Dead ends	1016.3 Dead ends
1005.3.5 Horizontal exits	<b>1021 HORIZONTAL EXITS</b>
1005.3.5.1 General	
1005.3.5.2 Construction	
1005.3.5.3 Openings and penetrations	1021.3 Opening protectives
1005.3.5.4 Refuge area	1021.4 Capacity of refuge area
<b>1006 THE EXIT DISCHARGE</b>	<b>1023 EXIT DISCHARGE</b>
1006.1 General	1023.1 General
1006.2 Exit Discharge Design Requirements	1023.2 Exit discharge capacity
1006.2.1 Location	1023.3 Exit discharge location
1006.2.2 Access to grade	
1006.2.3 Travel distance	

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1006.3 Exit Discharge Components

1023.4 Exit discharge components

1006.3.1 General

1006.3.2 Exterior exit balconies

1006.3.2.1 General

1006.3.2.2 Width

1006.3.2.3 Construction

1006.3.2.4 Openess

1006.3.3 Exterior exit stairways

1002.1 Definitions

**1009 STAIRWAYS AND HANDRAILS**

**1022 EXTERIOR EXIT RAMPS AND STAIRWAYS**

1006.3.3.1 General

1006.3.3.2 Construction

1006.3.3.3 Protection of exterior wall openings

1022.6 Exterior ramps and stairway protection

1006.3.3.4 Detailed requirements

1006.3.4 Exterior exit ramps

1022.6 Exterior ramps and stairway protection

1006.3.4.1 General

1006.3.4.2 Construction

1006.3.4.3 Protection of exterior wall openings

1006.3.4.4 Detailed requirements

1006.3.5 Exit courts

1023.5 Egress courts

1006.3.5.1 General

1006.3.5.2 Width

1023.5.1 Width

1006.3.5.3 Construction and openings

1023.5.2 Construction and openings

**1007 MEANS OF EGRESS REQUIREMENTS BASED ON OCCUPANCY**

1007.1 General

1007.2 Group A Occupancies

**1024 ASSEMBLY**

1007.2.1 Main exit

1024.2 Assembly main exit

1007.2.2 Side exits

1024.3 Assembly other exits

1007.2.3 Balcony exits

1024.5 Interior balcony and gallery means of egress

1007.2.4 Multitheater complex

1024.4 Foyers and lobbies

1007.2.5 Panic hardware

1008.1.9 Panic and fire exit hardware

1008.2.1 Stadiums

1007.2.6 Posting of room capacity

1007.2.7 Amusement building exit marking

1007.3 Group E Occupancies

1007.3.1 Definitions

1007.3.2 Separate means of egress systems required

1014.1 Exit or exit access doorways required

1007.3.3 Travel distance

**1015 EXIT ACCESS TRAVEL DISTANCE**

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1007.3.3.1 In rooms	
1007.3.3.2 From any location	<b>1015 EXIT ACCESS TRAVEL DISTANCE</b>
1007.3.4 Travel through intervening rooms	
1007.3.5 Hallways, corridors and exterior exit balconies	<b>1015 EXIT ACCESS TRAVEL DISTANCE</b>
1007.3.6 Stairways	
1007.3.7 Exits serving auditoriums in Group E, Division 1 Occupancies	
1007.3.8 Laboratories	
1007.3.9 Basement rooms	
1007.3.10 Panic hardware	1008.1.9 Panic and fire exit hardware
1007.3.11 Fences and gates	
1007.4 Group H Occupancies	
1007.4.1 Access to exits	<b>1013 EXIT ACCESS</b>
1007.4.2 Travel distance	<b>1015 EXIT ACCESS TRAVEL DISTANCE</b>
1007.4.3 Corridor doors	715.3.3 Door assemblies in corridors and smoke barriers
1007.4.4 Door swing	1008.1.2 Door swing
1007.4.5 Panic hardware	1008.1.9 Panic and fire exit hardware
1007.4.6 Incinerator rooms	
1007.5 Group I Occupancies	
1007.5.1 Minimum size of means of egress	<b>1005 EGRESS WIDTH</b>
1007.5.2 Travel distance	<b>1015 EXIT ACCESS TRAVEL DISTANCE</b> 1013.3 Common path of egress travel
1007.5.3 Hallways	
1007.5.4 Corridors	1003.5 Elevation change 407.2 Corridors
1007.5.5 Exterior exit doors	1008.1.2 Door swing
1007.5.6 Basement exits	1018.2 Buildings with one exit
1007.5.7 Ramps	
1007.5.8 Hardware	1008.1.9 Panic and fire exit hardware
1007.5.9 Suites	1013.2.2 Group I-2
1007.5.9.1 General	
1007.5.9.2 Corridors	1016.1 Construction
1007.5.9.3 Travel through adjoining rooms	1013.2.2 Group I-2
1007.6 Group R Occupancies	
1007.6.1 Hallways	<b>1016 CORRIDORS</b> 1016.1 Construction
1007.6.2 Floor-level exit signs	<b>1011 EXIT SIGNS</b>
1007.7 Special Hazards	

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
1007.7.1 Rooms containing fuel-fired equipment	<b>1014 EXIT OR EXIT ACCESS DOORWAYS REQUIRED</b>
1007.7.2 Refrigeration machinery rooms	
1007.7.2.1 Access to exits	<b>1014 EXIT OR EXIT ACCESS DOORWAYS REQUIRED</b>
1007.7.2.2 Travel distance	<b>1015 EXIT ACCESS TRAVEL DISTANCE</b>
1007.7.2.3 Doors	1008.1.2 Door swing
1007.7.3 Refrigerated rooms or spaces	<b>1014 EXIT OR EXIT ACCESS DOORWAYS REQUIRED</b>
1007.7.3.1 Access to exits	<b>1014 EXIT OR EXIT ACCESS DOORWAYS REQUIRED</b>
1007.7.3.2 Travel distance	<b>1015 EXIT ACCESS TRAVEL DISTANCE</b>
1007.7.4 Cellulose nitrate film handling	
<b>1008 REVIEWING STANDS, GRANDSTANDS, BLEACHERS, AND FOLDING AND TELESCOPING SEATING</b>	
1008.1 Scope	
1008.2 Definitions	1002.1 Definitions
1008.3 Height of Reviewing Stands, Grandstands, Bleachers and Folding and Telescoping Seating	
1008.4 Design Requirements	
1008.5 General Requirements	
1008.5.1 Row spacing	1024.10 Clear width of aisle accessways serving seating 1024.10.1 Dual access 1024.10.2 Single access
1008.5.2 Rise between rows	
1008.5.3 Seating capacity determination	1024.15 Bench seating
1008.5.4 Aisles	
1008.5.4.1 Aisles required	1024.9 Assembly aisles are required
1008.5.4.2 Obstructions	1024.9.6 Assembly aisle obstructions
1008.5.4.3 Width	1024.9.1 Minimum aisles width 1024.9.2 Aisle width
1008.5.5 Cross aisles and vomitories	
1008.5.6 Stairways and ramps	1024.13 Handrails 1024.13.1 Discontinuous handrails 1024.13.2 Intermediate handrails
1008.5.7 Guardrails	1024.14 Assembly guards 1024.14.1 Cross aisles 1024.14.3 Guards at the end of aisles
1008.5.8 Toeboards	
1008.5.9 Footboards	ICC 300 Bleacher standard

1997 Uniform Building Code

2006 International Building Code

1008.6 Grandstands, Bleachers, and Folding and Telescoping Seating within Buildings

1008.7 Smoke-protected Assembly Seating

1008.7.1 General

1008.7.2 Roof height

1008.7.3 Smoke control

1008.7.4 Travel distance

Table 10-A—Minimum Egress Requirements

Table 10-B—Egress Width Per Person Served

Table 10-C—Calculation for Minimum Width in Buildings without Smoke-Protected Assembly Seating

Table 10-D—Calculation for Minimum Width in Buildings with Smoke-Protected Assembly Seating

Table 10-E—Maximum Number of seats allowed to have the minimum 12 inch clear width.

1024.6.2.2 Roof height

1024.6.2.3 Automatic sprinklers

1024.6.2.1 Smoke control

1024.7 Travel distance

Table 1005.1—Egress width per occupant served

Table 1024.6.2—Width of aisles for smoke-protected assembly

Table 1024.10.1—Smoke-protected assembly aisle accessways

**Chapter 11: Accessibility**

N/A

**Chapter 12: Interior Environment**

**1201 GENERAL**

**1202 LIGHT AND VENTILATION IN GROUPS A,B,E,F,H,I,M AND S OCCUPANCIES**

1202.1 Light

1202.2 Ventilation

1202.2.1 General

1202.2.2 Groups B,F,M and S Occupancies

1202.2.3 Group H Occupancies

1202.2.4 Group H, Division 4 Occupancies

1202.2.5 Group H, Division 6 Occupancies

1202.2.6 Group S repair and storage garages and aircraft hangars

1202.2.7 Group S parking garages

**1201 GENERAL**

1201.1 Scope

**1203 VENTILATION**

**1205 LIGHTING**

1205.1 General

1205.2 Natural Light

1205.3 Artificial Light

1205.4 Stairway Illumination

1203.1 General Ventilation

1203.4 Natural Ventilation

1203.1 General

1203.4.2 Contaminants

1203.5 Other ventilation and exhaust systems

[F] 414.3 Ventilation (H Occupancies)

415.9.2.6 Ventilation (H-5 Occupancies)

406.6.3 Ventilation (repair garages)

406.3.12 Ventilation (open parking garages)

406.4.2 Ventilation (enclosed parking garages)

**1203 LIGHT AND VENTILATION IN GROUP R OCCUPANCIES**

- 1203.1 General
- 1203.2 Light
  
- 1203.3 Ventilation
- 1203.4 Yards or Courts

**1204 EAVES**

**1205 ALTERNATE VENTILATION WHEN APPLICABLE**

- 1203.4 Natural Ventilation
  - 1205.1 Lighting-General
  - 1205.2 Natural Light
  - 1205.3 Artificial Light
  
  - 1203.4.1 Ventilation area required
  - 1203.4.3 Openings on yards or courts
- 1206 YARDS OR COURTS**

**Chapter 13: Energy Conservation**

**1301 SOLAR ENERGY COLLECTORS**

**Chapter 14: Exterior Wall Coverings**

**1401 GENERAL**

- 1401.1 Applicability
  
  
  
- 1401.2 Standards

**1402 WEATHER PROTECTION**

- 1402.1 Weather-resistive Barriers
  
- 1402.2 Flashing and Counterflashing
  
  
- 1402.3 Waterproofing Weather-exposed Areas
- 1402.4 Dampproofing Foundation Walls
- 1402.5 Window Wells

**1403 VENEER**

- 1403.1 Scope
- 1403.1.1 General
- 1403.1.2 Limitations
- 1403.2 Definitions
- 1403.3 Materials
- 1403.4 Design

**1401 GENERAL**

- 1401.1 Scope
- 1403.1 General
- 1403.2 Weather protection
- 1405.2 Weather protection

- 102.4 Referenced codes and standards

**CHAPTER 35 REFERENCED STANDARDS**

**1403 PERFORMANCE REQUIREMENTS**

- 1404.2 Weather resistive barriers
- 1403.3 Vapor retarder
  
- 1405.3 Flashing;
- 1405.3.1 Exterior wall pockets; 1405.3.2 Masonry

**1807 DAMPPROOFING AND WATERPROOFING**

**1405 INSTALLATION OF WALL COVERINGS**

- 1405.1 General
- 1405.1 General
- 1405.4 Wood veneers

**1402 DEFINITIONS**

**1404 MATERIALS**

- 1405.5 Anchored masonry veneer
- 1405.9 Adhered masonry veneer



Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1403.4.1 General

1405.5 Anchored masonry veneer

1403.4.2 Adhered veneer

1405.9.1.1 Interior adhered masonry veneers

1403.4.3 Anchored veneer

1405.5.2 Seismic requirements

1403.5 Adhered Veneer

1405.9 Adhered masonry veneer

1403.5.1 Permitted backing

1403.5.2 Area limitations

1403.5.3 Unit size limitations

1403.5.4 Application

1403.5.5 Ceramic tile

2103.9 Mortars for ceramic wall and floor tile

1403.6 Anchored Veneer

1405.5 Anchored masonry veneer

1403.6.1 Permitted backing

1403.6.2 Height and support limitations

1405.5.1 Tolerances

1405.5.2 Seismic requirements

1403.6.3 Area limitations

1403.6.4 Application

1405.5 Anchored masonry veneer

1403.6.4.1 General

1403.6.4.2 Masonry and stone units [5 inches (127 mm) maximum in thickness]

1403.6.4.3 Stone units [10 inches (254 mm) maximum in thickness]

1405.6 Stone veneer

1403.6.4.4 Slab-type units [2 inches (51 mm) maximum in thickness]

1405.7 Slab-type veneer

1403.6.4.5 Terra cotta or ceramic units

1405.8 Terra cotta

**1404 VINYL SIDING**

1405.13 Vinyl siding

1404.1 General

1405.13 Vinyl Siding

1404.2 Application

1405.13.1 Application

Table 14-A—Ceramic Tile Setting Mortars

Table 2103.9—Ceramic Tile Mortar Compositions

**Chapter 15: Roofing and Roof Structures**

**1501 SCOPE**

**1501 GENERAL**

1501.1 General

1501.1 Scope

1501.2 Standards of Quality

**1502 DEFINITIONS**

**1502 DEFINITIONS**

**1503 ROOFING REQUIREMENTS**

1505.1 General (Fire Classification)

**1504 ROOFING CLASSIFICATION**

**1505 FIRE CLASSIFICATION**

1504.1 Fire-retardant Roofing

1505.2 Class A roof assemblies

1505.3 Class B roof assemblies

1505.4 Class C roof assemblies

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1504.2 Noncombustible Roof Covering

1504.3 Nonrated Roofing

1505.5 Non-classified roofing

**1505 ATTICS: ACCESS, DRAFT STOPS AND VENTILATION**

1505.1 Access

1209.2 Attic spaces

1505.2 Draft Stops

1505.3 Ventilation

1203.2 Attic spaces

1203.2.1 Openings into attics

**1506 ROOF DRAINAGE**

1506.1 General

1507.10.1 Slope

1507.11.1 Slope

1507.12.1 Slope

1507.14.1 Slope

1507.15.1 Slope

1506.2 Roof Drains

[P] 1503.4 Roof drainage

1506.3 Overflow Drains and Scuppers

1506.4 Concealed Piping

1506.5 Over Public Property

**1507 ROOF-COVERING MATERIALS AND APPLICATION**

**1506 MATERIALS**

**1507 REQUIREMENTS FOR ROOF COVERINGS**

1507.1 Materials

1506.3 Material specifications and physical characteristics

1507.2 Identification

1506.4 Product identification

1507.3 Asbestos-cement Roofing

1507.4 Asbestos-cement Shingles

1507.5 Asphalt Shingles

1507.2 Asphalt shingles

1507.6 Built-up Roofs

1507.10 Built-up roofs

1507.7 Clay or Concrete Tile

1507.3 Clay and concrete tile

1507.8 Metal Roof Covering

1507.4 Metal roof panels

1507.4.1 Deck requirements

1507.4.2 Deck slope

1507.4.3 Material standards

1507.4.4 Attachment

1507.9 Metal Shingles

1507.5 Metal roof shingles

1507.5.1 Deck requirements

1507.5.2 Deck slope

1507.5.3 Underlayment

1507.5.4 Material standards

1507.5.5 Attachment

1507.5.6 Flashing

1507.10 Sheet Roof Covering

1507.6 Mineral-surfaced roll roofing

1507.11 Slate Shingles

1507.7 Slate shingles

1507.12 Wood Shakes

1507.9 Wood shakes

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

1507.13 Wood Shingles

1507.8 Wood shingles

1507.14 Modified Bitumen, Thermoplastic and  
Thermoset Membranes

1507.11 Modified bitumen roofing

1507.12 Thermoset single-ply roofing

1507.13 Thermoplastic single-ply roofing

**1508 VALLEY FLASHING**

1508.1 Valleys

1507.2.9.2 Valleys

1508.2 Asphalt Shingles

1507.5.6 Flashing

1508.3 Metal Shingles

1507.7.6 Flashing

1508.4 Asbestos-cement Shingles, Slate Shingles,  
and Clay and Concrete Tile

1507.3.9 Flashing

1508.5 Wood Shingles and Wood Shakes

1507.8.7 Flashing

1507.9.8 Flashing

**1509 OTHER FLASHING**

1507.2.9.1 Base and cap flashing

1507.3.9 Flashing

1507.7.6 Flashing

1507.8.7 Flashing

1507.9.8 Flashing

**1510 ROOF INSULATION**

**1508 ROOF INSULATION**

**1511 PENTHOUSES AND ROOF STRUCTURES**

**1509 ROOFTOP STRUCTURES**

1511.1 Height

1509.2 Penthouses

1511.2 Area

1509.2 Penthouses

1511.3 Prohibited Uses

1509.2 Penthouses

1511.4 Construction

1509.2.1 Type of Construction

**1512 TOWERS AND SPIRES**

1509.5 Towers, spires, domes, cupolas

1509.5.1 Noncombustible construction required

1509.5.2 Towers and spires

3108.3 Construction

**1513 ACCESS TO ROOFTOP EQUIPMENT**

Table 15-A—Minimum Roof Classes

Table 1505.1—Minimum Roof Covering  
Classification for Types of Construction

Table 15-B-1—Asphalt Shingle Application

1507.2.1 Deck requirements

1507.2.2 Slope

1507.2.3 Underlayment

1507.2.4 Self-adhering polymer modified bitumen

1507.2.5 Asphalt shingles

1507.2.6 Fasteners

1507.2.7 Attachment

1507.2.8 Underlayment application

1507.2.9 Flashings

1507.2.9.1 Base and cap flashing

1507.2.9.2 Valleys

1507.2.9.3 Drip edge

Table 15-B-2—Wood Shingle or Shake Application

1507.8.1.1 Solid sheathing required

1507.8.2 Deck slope

1507.8.3 Underlayment

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2006 International Building Code

- 1507.8.4 Material standards
- 1507.8.5 Attachment
- 1507.8.6 Application
- 1507.8.7 Flashing
- 1507.9.1 Deck requirements
- 1507.9.1.1 Solid sheathing required
- 1507.9.2 Deck slope
- 1507.9.3 Underlayment
- 1507.9.4 Interlayment
- 1507.9.5 Material standards
- 1507.9.6 Attachment
- 1507.9.7 Application
- 1507.9.8 Flashing

Table 15-C—Maximum Weather Exposure

Table 1507.8.6 Wood Shingle Weather Exposure and Roof Slope  
Table 1507.9.7 Wood Shake Weather Exposure and Roof Slope

Table 15-D-1—Roofing Tile Application For All Tiles

- 1507.3.1 Deck requirements
- 1507.3.2 Deck slope
- 1507.3.3 Underlayment
- 1507.3.3.1 Low slope roofs
- 1507.3.4 Clay tile
- 1507.3.5 Concrete tile
- 1507.3.6 Fasteners
- 1507.3.7 Attachment
- 1508.3.8 Application
- 1508.3.9 Flashing

Table 15-D-2—Clay or Concrete Roofing Tile Application Interlocking Tile with Projecting Anchor Lugs—Minimum Roof Slope 4 Units Vertical In 12 Units Horizontal

- 1507.3.1 Deck requirements
- 1507.3.2 Deck slope
- 1507.3.3 Underlayment
- 1507.3.3.2 High slope roofs
- 1507.3.4 Clay tile
- 1507.3.5 Concrete tile
- 1507.3.6 Fasteners
- 1507.3.7 Attachment
- 1507.3.8 Application
- 1507.3.9 Flashing

Table 15-E—Built-Up Roof-Covering Application

- 1507.10.1 Slope
- 1507.10.2 Material standards

Table 15-F—Built-up Roofing Cementing Adhesive and Surfacing Application Rates

Table 15-G—Application of Cementing Materials

## Chapter 24: Glass and Glazing

### 2401 SCOPE

2402 Identification

### 2403 AREA LIMITATIONS

### 2401 GENERAL

2403.1 Identification

### 2404 WIND, SNOW, SEISMIC AND DEAD LOADS ON GLASS

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2404 Glazing Support and Framing

2404.1 Support

2404.2 Framing

**2405 LOUVERED WINDOWS AND JALOUSIES**

**2406 SAFETY GLAZING**

2406.1 General

2406.2 Identification

2406.3 Human Impact Loads

2406.4 Hazardous Locations

2406.5 Wardrobe Doors

2406.6 Glass Railings

**2407 HINGED SHOWER DOORS**

**2408 RACQUETBALL AND SQUASH COURTS**

**2409 SLOPED GLAZING AND SKYLIGHTS**

2409.1 Scope

2409.2 Allowable Glazing Materials

2409.3 Screening

2409.4 Framing

2409.5 Design Loads

2409.6 Floors and Sidewalks

Table 24A—Adjustment Factors—Relative Resistance to Wind Loads

Graph 24-1—Maximum Allowable Area of Glass

**Chapter 25: Gypsum Board and Plaster**

2501 SCOPE

2501.1 General

2501.2 Inspection

2501.3 Tests

2501.4 Definitions

**2502 MATERIALS**

**2503 VERTICAL ASSEMBLIES**

2006 International Building Code

2403.2 Glass supports

2404.1 Vertical glass

2403.3 Framing

2403.5 Louvered windows or jalousies

**2406 SAFETY GLAZING**

2406.2 Identification of safety glazing

2406.2.1 Multi-light assemblies

2406.1 Human impact loads

2406.3 Hazardous locations

2406.3, Item 2 Hazardous locations

**2407 GLASS IN HANDRAILS AND GUARDS**

**2408 GLAZING IN ATHLETIC FACILITIES**

**2405 SLOPED GLAZING AND SKYLIGHTS**

2405.1 Scope

2405.2 Allowable glazing materials and limitations

2405.3 Screening

2405.4 Framing

2404.2 Sloped glass

2405.4 Framing

**2409 GLASS IN FLOORS AND SIDEWALKS**

Figures 2404(1) through 2404(12)

2501.1 Scope

2501.1.1 General

**2503 INSPECTION**

**2502 DEFINITIONS**

2506.2 Standards (Table 2506.2—Gypsum Board Materials and Accessories)

2507.2 Standards (Table 2507.2—Lath, Plastering Materials and Accessories)

**2504 VERTICAL AND HORIZONTAL ASSEMBLIES**

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
2503.1 General	2504.1 Scope
2503.2 Wood Framing	2504.1.1 Wood framing
2503.3 Studless Partitions	2504.1.2 Studless partitions
<b>2504 HORIZONTAL ASSEMBLIES</b>	<b>2504 VERTICAL AND HORIZONTAL ASSEMBLIES</b>
2504.1 General	2504.1 Scope
2504.2 Wood Framing	2504.1.1 Wood framing
2504.3 Hangers	2506.2.1 Other materials
2504.4 Runners and Furring	2506.2.1 Other materials
<b>2505 INTERIOR LATH</b>	<b>2507 LATHING AND PLASTERING</b>
	<b>2508 GYPSUM CONSTRUCTION</b>
	<b>2510 LATHING AND FURRING FOR CEMENT PLASTER (STUCCO)</b>
	<b>2511 INTERIOR PLASTER</b>
2505.1 General	<b>2508 GYPSUM CONSTRUCTION</b>
	2510 Lathing and Furring for Cement Plaster (STUCCO)
2505.2 Application of Gypsum Lath	<b>2511 INTERIOR PLASTER</b>
	2511.1.1 Installation (Table 2511.1)
2505.3 Application of Metal Plaster Bases	<b>2510 LATHING AND FURRING FOR CEMENT PLASTER (STUCCO)</b>
	<b>2511 INTERIOR PLASTER</b>
	2511.1.1 Installation (Table 2511.1)
<b>2506 EXTERIOR LATH</b>	<b>2507 LATHING AND PLASTERING</b>
	<b>2510 LATHING AND FURRING FOR CEMENT PLASTER (STUCCO)</b>
	<b>2512 EXTERIOR PLASTER</b>
2506.1 General	2502 Definitions
2506.2 Corrosion Resistance	2510.4 Corrosion resistance
2506.3 Backing	2510.5 Backing
2506.4 Weather-resistive Barriers	2510.6 Weather-resistant barriers
2506.5 Application of Metal Plaster Bases	<b>2507 LATHING AND PLASTERING</b>
	<b>2510 LATHING AND FURRING FOR CEMENT PLASTER (STUCCO)</b>
	<b>2512 EXTERIOR PLASTER</b>
<b>2507 INTERIOR PLASTER</b>	<b>2511 INTERIOR PLASTER</b>
2507.1 General	2511.1 General
2507.2 Base Coat Proportions	2511.1.1 Installation (Table 2511.1)
2507.3 Base Coat Application	2511.1.1 Installation (Table 2511.1)
2507.3.1 General	2511.1.1 Installation (Table 2511.1)
2507.3.2 Gypsum plaster	2511.1.1 Installation (Table 2511.1)
2507.3.3 Cement plaster	2511.1.1 Installation (Table 2511.1)
2507.4 Finish Coat Application	2511.1.1 Installation (Table 2511.1)

Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code

2507.5 Interior Masonry or Concrete

**2508 EXTERIOR PLASTER**

2508.1 General

2508.2 Base Coat Proportions

2508.3 Base Coat Application

2508.4 Environmental Conditions

2508.5 Curing and Interval

2508.6 Alternate Method of Application

2508.7 Finish Coats

2508.8 Preparation of Masonry and Concrete

**2509 EXPOSED AGGREGATE PLASTER**

2509.1 General

2509.2 Aggregate

2509.3 Bedding Coat Proportions

2509.4 Application

2509.5 Bases

2509.6 Preparation of Masonry and Concrete

2509.7 Curing

**2510 PNEUMATICALLY PLACED PLASTER (GUNITE)**

**2511 GYPSUM WALLBOARD**

2511.1 General

2511.2 Supports

2511.3 Single-ply Application

2511.4 Two-ply Application

2511.5 Joint Treatment

**2512 USE OF GYPSUM IN SHOWERS AND WATER CLOSETS**

**2513 SHEAR-RESISTING CONSTRUCTION WITH WOOD FRAME**

2513.1 General

2513.2 Masonry and Concrete Construction

2513.3 Wall Framing

2006 International Building Code

2511.4 Interior masonry or concrete

**2512 EXTERIOR PLASTER**

2512.1 General

**2507 LATHING AND PLASTERING**

**2510 LATHING AND FURRING FOR CEMENT PLASTER (STUCCO)**

**2507 LATHING AND PLASTERING**

**2510 LATHING AND FURRING FOR CEMENT PLASTER (STUCCO)**

2512.4 Cement plaster

2512.6 Curing and interval

2512.8 Alternate method of application

2512.8.1 Admixtures

2512.8.2 Curing

2512.9 Finish coats

2510.7 Preparation of masonry and concrete

**2513 EXPOSED AGGREGATE PLASTER**

2513.1 General

2513.2 Aggregate

2513.3 Bedding coat proportions

2513.4 Application

2513.5 Bases

2513.6 Preparation of masonry and concrete

2513.7 Curing of base coats

**2508 GYPSUM CONSTRUCTION**

2508.2 Limitations

**2508 GYPSUM CONSTRUCTION (TABLE 2508.1)**

**2508 GYPSUM CONSTRUCTION (TABLE 2508.1)**

**2508 GYPSUM CONSTRUCTION (TABLE 2508.1)**

2508.4 Joint treatment

**2509 GYPSUM IN SHOWERS AND WATER CLOSETS**

**2505 SHEAR WALL CONSTRUCTION**

2306.4.5 Shear walls sheathed with other materials (Table 2306.4.5)

Table 2306.4.5, Footnote a

2306.4.5 Shear walls sheathed with other materials (Table 2306.4.5)

1997 Uniform Building Code

2006 International Building Code

2513.4 Height-to-length Ratio

2513.5 Application

2513.5.1 Gypsum lath

2513.5.2 Gypsum sheathing board

2513.5.3 Gypsum wallboard or veneer base

2306.4.5.1.1 Joint staggering

2306.4.5.1.2 Blocking

2306.4.5.1.3 Nailing

2306.4.5.1.4 Fasteners

2306.4.5.1.5 Gypsum lath

2306.4.5.1.6 Gypsum sheathing

2306.4.5.1.7 Other gypsum boards

**Chapter 26: Plastic**

**2601 SCOPE**

**2602 FOAM PLASTIC INSULATION**

2602.1 General

2602.2 Labeling and Identification

2602.3 Surface-burning Characteristics

2602.4 Thermal Barrier

2602.5 Special Provisions

2602.5.1 General

2602.5.2 Noncombustible exterior walls

2602.5.2.1 One-story buildings

2602.5.2.2 Buildings of any height

2602.5.3 Roofing

2602.5.4 Doors

2602.5.5 Garage doors

2602.6 Specific Approval

**2603 LIGHT-TRANSMITTING PLASTICS**

2603.1 General

2603.1.1 Scope

2603.1.2 Approval for use

2603.1.3 Identification

2603.1.4 Combination of glazing and exterior wall panels

2603.1.5 Combination of roof panels and skylights

2603.1.6 Standards of quality

2603.2 Definitions

**2601 GENERAL**

2601.1 Scope

**2603 FOAM PLASTIC INSULATION**

2603.1 General

2603.2 Labeling and identification

2603.3 Surface-burning characteristics

2603.4 Thermal barrier

2603.4.1 Thermal barrier not required

2603.5 Exterior walls of buildings of any height

2603.4.1.4 Exterior walls - one story buildings

2603.5 Exterior walls of buildings of any height

2603.4.1.5 Roofing

2603.6 Roofing

2603.4.1.7 Doors not required to have a fire protection rating

2603.4.1.9 Garage doors

2603.8 Special approval

**2606 LIGHT-TRANSMITTING PLASTICS**

2606.1 General

2606.1 General

2606.2 Approval for use

2606.3 Identification

2607.6 Combinations of glazing and wall panels

2610.8 Combinations of roof panels and skylights

102.4 Referenced codes and standards

Chapter 35 Referenced Standards

**2602 DEFINITIONS**



Cross Reference • UBC-IBC • Nonstructural

1997 Uniform Building Code	2006 International Building Code
2603.3 Design and Installation	2606.5 Structural requirements
2603.3.1 Structural requirements	2606.5 Structural requirements
2603.3.2 Fastening	2606.6 Fastening
2603.4 Glazing of Unprotected Openings	<b>2608 LIGHT-TRANSMITTING PLASTIC GLAZING</b> 2608.1 Buildings of Type VB construction 2608.2 Buildings of other types of construction
2603.5 Light-transmitting Exterior Wall Panels	<b>2607 LIGHT-TRANSMITTING PLASTIC WALL PANELS</b>
2603.6 Roof Panels	<b>2609 LIGHT-TRANSMITTING PLASTIC ROOF PANELS</b>
2603.7 Skylights	<b>2610 LIGHT-TRANSMITTING PLASTIC SKYLIGHT GLAZING</b>
2603.7.1 General	<b>2610 LIGHT-TRANSMITTING PLASTIC SKYLIGHT GLAZING</b>
2603.7.2 Plastics over stair shafts	
2603.8 Light-diffusing Systems	2606.7 Light-diffusing systems
2603.8.1 General	2606.7.1 Support 2606.7.2 Installation 2606.7.3 Size limitations
2603.8.2 Limitations	2606.7.4 Fire suppression system
2603.9 Diffusers in Electrical Fixtures	2606.7.5 Electrical lighting fixtures
2603.10 Partitions	2606.8 Partitions
2603.11 Awnings and Patio Covers	2606.10 Awnings, patio covers and similar structures
2603.12 Greenhouses	2606.11 Greenhouses
2603.13 Canopies	406.5.2, Item 3 Canopies 2606.10 Awnings, patio covers and similar structures
2603.14 Solar Collectors	2606.12 Solar collectors
<b>2604 PLASTIC VENEER</b>	<b>2605 PLASTIC VENEER</b>
2604.1 Interior Use	2605.1 Interior use
2604.2 Exterior Use	2605.2 Exterior use
Table 26-A—Area Limitation and Separation Requirements for Exterior Wall Panels	Table 2607.4—Area Limitation and Separation Requirements for Light-transmitting Plastic Wall Panels

**Chapter 27: Electrical Systems**

**2701 ELECTRICAL CODE**

**2701 GENERAL**

**Chapter 28: Mechanical Systems**

1997 Uniform Building Code

2006 International Building Code

**2801 MECHANICAL CODE**

2801.1 Scope

**2802 REFRIGERATION SYSTEM MACHINERY ROOM**

2801.1 Scope

## Chapter 29: Plumbing Systems

**2901 PLUMBING CODE**

2901.1 Scope

**2902 NUMBER OF FIXTURES**

**[P] 2902 MINIMUM PLUMBING FACILITIES**

2902.1 General

2902.1 Minimum number of plumbing fixtures

2902.2 Group A Occupancies

Table 2902.1 Min. number of required plumbing fixtures

2902.3 Groups B, F, H, M and S Occupancies

Table 2902.1 Min. number of required plumbing fixtures

2902.4 Group E Occupancies

Table 2902.1 Min. number of required plumbing fixtures

2902.5 Group I Occupancies

Table 2902.1 Min. number of required plumbing fixtures

2902.6 Group R Occupancies

Table 2902.1 Min. number of required plumbing fixtures

**2903 ALTERNATE NUMBER OF FIXTURES**

**2904 ACCESS TO WATER CLOSET STOOL**

## Chapter 30: Elevators, Dumbwaiters, Escalators and Moving Walks

**3001 SCOPE**

**3001 GENERAL**

3002 Elevator and Elevator Lobby Enclosures

**3002 HOISTWAY ENCLOSURES**

3002.1 Hoistway enclosure protection

**3003 SPECIAL PROVISIONS**

3003.1 Number of Cars in Hoistway

3002.2 Number of elevator cars in a hoistway

3003.2 Smoke-detection Recall

3003.3 Standby Power

3003.1 Standby power

3003.4 Size of Cab and Control Locations

3002.4 Elevator car to accommodate ambulance stretcher

3001.2 Referenced standards

3002.3 Emergency signs

**3004 HOISTWAY VENTING**

**3004 HOISTWAY VENTING**

**3005 ELEVATOR MACHINE ROOM**

**3006 MACHINE ROOMS**

3005.1 Operation of Solid-state Equipment Venting

3006.2 Venting

3005.2 Detection (pressurization)

3006.3 Pressurization

**3006 CHANGE IN USE**

3001.4 Change in use

**3007 ADDITIONAL DOORS**

3002.6 Prohibited doors

## Chapter 31: Special Construction

**3101 SCOPE**

**3101 GENERAL**

3101.1 Scope

**3102 CHIMNEYS, FIREPLACES AND BARBECUES**

**2111 FIREPLACES AND CHIMNEYS**

1997 Uniform Building Code

2006 International Building Code

3102.4 Masonry Chimneys

**2113 MASONRY CHIMNEYS**

**3103 TEMPORARY BUILDINGS OR STRUCTURES**

**3103 TEMPORARY STRUCTURES**

## **Chapter 32: Construction in the Public Right of Way**

**3201 GENERAL**

**3201 GENERAL**

**3202 PROJECTIONS INTO ALLEYS**

**3203 SPACE BELOW SIDEWALK**

3202.1 Encroachments below grade

**3204 BALCONIES, SUN-CONTROL DEVICES AND APPENDAGES**

3202.2 Encroachments above grade and below 8 feet in height

3202.3 Encroachments 8 feet or more above grade

**3205 MARQUEES**

3202.3.1 Awnings, canopies, marquees and signs

**3206 AWNINGS**

3202.2.3 Awnings, (202.1- defined)

3202.3.1 Awnings, canopies, marquees and signs

**3207 DOORS**

3202.2 Encroachments above grade and below 8 feet in height

## **Chapter 33: Site Work, Demolition and Construction**

**3301 EXCAVATIONS AND FILLS**

**3304 SITE WORK**

3301.1 General

3304.1 Excavation and fill

3301.2 Protection of Adjoining Property

**3307 PROTECTION OF ADJOINING PROPERTY**

3307.1 Protection required

**3302 PREPARATION OF BUILDING SITE**

3304.1 Excavation and fill

**3303 PROTECTION OF PEDESTRIANS DURING CONSTRUCTION OR DEMOLITION**

**3306 PROTECTION OF PEDESTRIANS**

3303.1 General

3303.2 Temporary Use of Streets and Alleys

**3308 TEMPORARY USE OF STREETS, ALLEYS AND PUBLIC PROPERTY**

3303.3 Storage on Public Property

3301.2 Storage and placement

3303.4 Mixing Mortar on Public Property

3303.5 Protection of Utilities

3308.2 Utility fixtures

3303.6 Walkway

3306.2 Walkways

3306.7 Covered walkways

3303.7 Pedestrian Protection

**3306 PROTECTION OF PEDESTRIANS**

3303.7.1 Protection required

3306.1 Protection required

3306.3 Directional barricades

3303.7.2 Railings

3306.4 Construction railings

3303.7.3 Fences

3306.5 Barriers

3306.6 Barrier design

1997 Uniform Building Code

3303.7.4 Canopies

3303.8 Maintenance and Removal of Protection Devices

**3309 DEMOLITION**

Table 33-A—Type of Protection Required for Pedestrians

2006 International Building Code

3306.7 Covered walkways

3306.8 Repair, maintenance and removal

**3303 DEMOLITION**

3303.1 Construction documents (demolition)

3303.2 Pedestrian protection (prior to demolition)

Table 3306.1—Protection of Pedestrians

**Chapter 34: Existing Structures**

**3401 GENERAL**

**3402 MAINTENANCE**

**3403 ADDITIONS, ALTERATIONS OR REPAIRS**

3403.1 General

3403.2 When Allowed

3403.3 Nonstructural

3403.4 Glass Replacement

3403.5 Historic Buildings

**3404 MOVED BUILDINGS**

3405 Change in Use

**3401 GENERAL**

3401.1 Scope

3401.3 Compliance with other codes

3401.2 Maintenance

**3403 ADDITIONS, ALTERATIONS OR REPAIRS**

3403.1 Existing buildings or structures

3403.2 Structural

3403.3 Nonstructural

**3405 GLASS REPLACEMENT**

3405.1 Conformance

3407.1 Historic buildings

**3408 MOVED STRUCTURES**

3406 Change of Occupancy

3406.1 Conformance

3406.2 Certificate of occupancy

**Chapter 35: Uniform Building Code Standards**

**PART I—GENERAL**

**PART II—UBC STANDARDS**

**PART III—STANDARDS ADOPTED BY REFERENCE**

**PART IV—RECOGNIZED STANDARDS**

**CHAPTER 35 REFERENCED STANDARDS**