## 2023 NEC Changes - Educode

|    | List of Changes   |
|----|---|
| 1  | New articles: 235, 245, 305, 722, 724, 726                    |
| 2  | Renumbered: 315, 395, 495                                     |
| 3  | Definitions moved from xxx.2 to Article 100                   |
| 4  | Article 90 New Scope and Reorganization                       |
| 5  | 100 Definition: Accessible as applied to wiring methods       |
| 6  | 100 Definition: Air-conditioning or comfort cooling equipment |
| 7  | 100 Definition: Appliance                                     |
| 8  | 100 Definition: deletion of Acronyms                          |
| 9  | 100 Definition: Branch Circuit, Motor                         |
| 10 | 100 Definition: Cable, Abandoned                              |
| 11 | 100 Definition: Cable, Portable Power Feeder                  |
| 12 | 100 Definition: Cable Connector (haz loc)                     |
| 13 | 100 Definition: Cable Joint                                   |
| 14 | 100 Definition: Cable Termination                             |
| 15 | 100 Definition: Class 4 Circuit                               |
| 16 | 100 Definition: Clothes Closet Storage Space                  |
| 17 | 100 Definition: Commissioning                                 |
| 18 | 100 Definition: Cord, Flexible                                |
| 19 | 100 Definition: Cord Connector                                |
| 20 | 100 Definition: Counter                                       |
| 21 | 100 Definition: Enclosed - Break                              |
| 22 | 100 Definition: Energized, Likely to Become                   |
| 23 | 100 Definition: Fault Managed Power                           |
| 24 | 100 Definition: Load Management                               |
| 25 | 100 Definition: Location, Wet                                 |
| 26 | 100 Definition: Multioutlet Assembly                          |
| 27 | 100 Definition: Normal High-Water Level                       |
| 28 | 100 Definition: Panelboard, Enclosed                          |
| 29 | 100 Definition: Passenger Transportation Facilites            |
| 30 | 100 Definition: Power-Supply Cord                             |
| 31 | 100 Definition: Primary Source                                |
| 32 | 100 Definition: PV DC Circuit String                          |
| 33 | 100 Definition: Receptacle, Weight Supporting Ceiling         |
| 34 | 100 Definition: Safety Circuit                                |
| 35 | 100 Definition: Sealed (as applied to Haz. Locations)         |
| 26 | 100 Definition: Servicing                                     |

| 36 | 100 Definition: Servicing                                 |
|----|---|
| 37 | 100 Definition: Short Circuit                             |
| 38 | 100 Definition: Space                                     |
| 39 | 100 Definition: Special Protection "s"                    |
| 40 | 100 Definition: Transfer Switch, Meter-Mounted            |
| 41 | 100 Definition: Wireless Power Transfer Equipment         |
| 42 | 100 Definition: Work Surface                              |
| 43 | 110.3(A) Examination (8) Cybersecurity                    |
| 44 | 110.16(B) Service Equipment and Feeder Supplied Equipment |
| 45 | 110.17 Servicing and Maintenance of Equipment             |
| 46 | 110.20 Reconditioned Equipment                            |
| 47 | 110.22 Identification of Disconnecting Means              |
| 48 | 110.26 Spaces About Electrical Equipment                  |

1



|    | List of Changes   |
|----|---|
| 49 | 110.26 Spaces About Electrical Equipment (A)(4) Limited Access and (A)(6) Grade, Floor, or Working Platform |
| 50 | 110.26(C)(3) Personnel Doors  |
| 51 | 200.6 Means of Identifying Grounded Conductors  |
| 52 | 210.1 Scope   |
| 53 | 210.4(A) Multiwire Branch Circuits  |
| 54 | 210.6(D) Voltages   |
| 55 | 210.8 Ground-Fault Circuit-Interrupter Protection for Personnel   |
| 56 | 210.8(A) Dwellings  |
| 57 | 210.8(A) Exception for Dwelling Units   |
| 58 | 210.8(B) Other Than Dwelling UNits  |
| 59 | 210.8(D) Specific Appliances  |
| 60 | 210.8(F) Outdoor Outlets  |
| 61 | 219.11(C)(4) Garage Branch Circuits   |
| 62 | 210.12(B) Dwelling Units  |
| 63 | 210.12(C) Dormitory Units   |
| 64 | 210.13 Ground Fault Protection of Equipment   |
| 65 | 210.17 Guest Rooms and Guest Suites   |
| 66 | 210.18 Rating   |
| 67 | 210.23(A) 10-Ampere Branch Circuits   |
| 68 | 210.24 Branch Circuit Requirements Summary  |
| 69 | 210.52(A)(2) Wall Spaces, as referenced to required outlets   |
| 70 | 210.52(B)(2) No Other Outlets   |
| 71 | 210.52(C)(2) Island and Peninsular Countertop and Work Surfaces   |
| 72 | 210.52(C)(3) Receptacle Outlet Location   |
| 73 | 210.52(G) Basements, Garages and Accessory Buildings  |
| 74 | 210.62 Show Windows   |
| 75 | 210.70 Lighting Outlets Required  |
| 76 | 215.1 Scope   |
| 77 | 215.2 Minimum Rating and Size   |
| 78 | 215.15 Barriers   |
| 79 | 215.18 Surge Protection   |
| 80 | 220.1 Scope   |
| 81 | 220.11 Maximum Load   |
| 82 | 220.12 Lighting Load for Non-Dwelling UNits   |
| 83 | 220.14(J) Dwelling Units - deleted  |
| 84 | 220.41 Dwelling Units, Minimum Unit Load  |
| 85 | 220.45 General Lighting   |
| 86 | 220.53 Appliance Load — Dwelling Unit(s)  |
| 87 | 220.56 Kitchen Equipment — Other Than Dwelling Unit(s)  |
| 88 | 220.57 Electric Vehicle Supply Equipment Load   |

| 00  | 220.37 Electric Vehicle Supply Equipment Load   |
|-----|---|
| 89  | 220.60 Noncoincident Loads  |
| 90  | 220.70 Energy Management Systems  |
| 91  | 220.110 Health Care Facilities Receptacle Loads   |
| 92  | 220.120 New Part VII Marinas, Boatyards, Floating Buildings, and Commercial and Noncommercial Docking Facilites |
| 93  | 225.1 Scope   |
| 94  | 225.5 Size of Conductors 1000 Volts, Nominal and Less - deleted   |
| 95  | 225.6(A) Overhead Spans   |
| 96  | 225.7 Lighting Equipment Installed Outdoors - deleted   |
| 97  | 225.27 Raceway Seals  |
| 98  | 225.32 Location   |
| 99  | 225.41 Emergency Disconnects  |
| 100 | 225.42 Surge Protection   |



•

|     | List of Changes  |
|-----|--|
| 101 | 230.1 Scope  |
| 102 | 230.2(A) Special Conditions  |
| 103 | 230.8 Raceway Seal   |
| 104 | 230.30(B) Wiring Methods   |
| 105 | 230.42 Maximum Size and Ampacity   |
| 106 | 230.43 Wiring Methods for over 1000 Volts, Nominal, or Less                                |
| 107 | 230.46 Spliced and Tapped Conductors   |
| 108 | 230.67 Surgery Protection  |
| 109 | 230.62(C) Barriers   |
| 110 | 230.71(B) Two to Six Service Disconnecting Means   |
| 111 | 230.75 Disconnection of Grounded Conductors  |
| 112 | 230.82 Equipment Connected to the Supply Side of Service Disconnect                        |
| 113 | 230.85 Emergency Disconnects   |
| 114 | 235.1 Scope  |
| 115 | 240.2 Reconditioned Equipment  |
| 116 | 240.4(B) Overcurrent Devices Rated 800 Amperes or Less                                     |
| 117 | 240.4(D) Small Conductors  |
| 118 | 240.4(H) Dwelling Unit Service and Feeder COnductors                                       |
| 119 | 240.6(D) Remotely Accessible Adjustable-Trip Circuit Breakers                              |
| 120 | 240.7 Listing Requirements   |
| 121 | 240.11 Selective Coordination  |
| 122 | 240.16 Interrupting Ratings  |
| 123 | 240.24(E) Not Located in Bathrooms   |
| 124 | 240.100-102 Deletion   |
| 125 | 242.2 Reconditioned Equipment  |
| 126 | 242.42 Surge Arrestor Rating   |
| 127 | 245 Overcurrent Protection over 1000 Volts   |
| 128 | 250.6(C) Currents Not Classified as Objectionable Currents                                 |
| 129 | 250.24(B) Load-Side Grounding Connections  |
| 130 | 250.28(C) Attachment   |
| 131 | 250.30(A)(3)(b) Grounded Conductor   |
| 132 | 250.52(A)(3) Concrete-Encased Electrode  |
| 133 | 250.53(A) Rod, Pipe, and Plate Electrodes  |
| 134 | 250.64(G) Enclosures with Ventilation Openings   |
| 135 | 250.66 Size of Alternating-Current Grounding Electrode Conductor                           |
| 136 | 250.94 Bonding for Communication Systems   |
| 137 | 250.94(B) Other Means  |
| 138 | 250.97 Bonding for Over 250 Volts to Ground  |
| 139 | 250.102(C)(2) Size for Parallel Conductors Installations in Two or More Raceways or Cables |
| 140 | 250.100 Metal Enclosures   |

| 140 | 250.100 Metal Enclosures  |
|-----|---|
| 141 | 250.109 Metal Enclosures  |
| 142 | 250.114 Equipment Connected by Cord and Plug  |
| 143 | 250.118 Types of Equipment Grounding Conductors   |
| 144 | 250.119 Identification of Wire-Type Equipment Grounding Conductors                      |
| 145 | 250.130 Equipment Grounding Conductors Connections                                      |
| 146 | 250.136 Equipment Secured to a Metal Rack or Structure                                  |
| 147 | 250.140 Frames of Ranges and Clothes Dryers   |
| 148 | 250.148(C) Metal Boxes  |
| 149 | 300.2(A) Voltages   |
| 150 | 300.3(B) Conductors of the Same Circuits  |
| 151 | 300.4(E) Cables, Raceways, or Boxes installed in or under Metal-Corrugated Rood Decking |
| 152 | 300.4(G) Fittings   |



|     | List of Changes   |
|-----|---|
| 153 | 300.6 Protection Against Corrosion and Deterioration  |
| 154 | 300.14 Length of Free Conductors at Outlets, Junctions and switch Points                      |
| 155 | 300.17 Number and Size of Conductors and Cables in a Raceway                                  |
| 156 | 300.25 Exit Enclosures (Stair Towers)   |
| 157 | 300.26 Remote-Control and Signaling Circuits Classificaitons                                  |
| 158 | 300.31-50 Relocated 1000 volts  |
| 159 | 305 Relocation from 300   |
| 160 | 310.3(B) Conductor Material   |
| 161 | 310.10(G) Conductors in Parallel (1) General  |
| 162 | Tables 310.15(B)(1)(1) and (2)  |
| 163 | 312.8 Switch and Overcurrent Device Enclosures (A) Splices, Taps, and Feed-Through Conductors |
| 164 | 312.10 Screws and Other Fasteners   |
| 165 | Part II Construction Specifications 312.100 thru 102  |
| 166 | 312.102 Doors or Covers   |
| 167 | 314.5 Screws or Other Fasteners   |
| 168 | 314.16(B)(6) Terminal Block Fill  |
| 169 | 314.23(H) Pendant Boxes. (1) Flexible Cord  |
| 170 | 314.24 Dimensions of Boxes (4) Conductors 12 or 10 AWG  |
| 171 | 314.25 Covers and Canopies  |
| 172 | 315.1 Scope   |
| 173 | 315.6 Listing Requirements  |
| 174 | 315.17 Marking for Type MV Cable Joints and Terminations                                      |
| 175 | 315.30 Installation   |
| 176 | 320.23(A) Cables Run Across the Top of Framing Members  |
| 177 | 320.30 Securing and Supporting (A) General  |
| 178 | 330.10 Uses Permitted   |
| 179 | 330.30 Securing and Supporting (A) General  |
| 180 | 330.112 Insulation  |
| 181 | 334.10 Uses Permitted   |
| 182 | 334.10 Uses Permitted (B) Type NMC  |
| 183 | 334.15 Exposed Work (B) Protection from Physical Damage.                                      |
| 184 | 334.24 Bending Radius   |
| 185 | 334.40 Boxes and Fittings (B) Devices of Insulating Material                                  |
| 186 | 335.1 Scope   |
| 187 | 336.10 Uses Permitted   |
| 188 | 337.115 Jacket  |
| 189 | 338.24 Bending Radius   |
| 190 | 344.28 Reaming and Threading  |
| 191 | 348.2 Reconditioned Equipment   |
| 192 | 352.10(B) Encased in Concrete   |

| 192 | 332. TO(B) Encased in Concrete                            |
|-----|---|
| 193 | 352.10(K) Physical Damage                                 |
| 194 | 352.44 Thermal Expansion and Contraction                  |
| 195 | 352.44(B) Earth Movement                                  |
| 196 | 356.10 Uses Permitted                                     |
| 197 | 358.10 Uses Permitted                                     |
| 198 | 362.10 Uses Permitted                                     |
| 199 | 366.10 Uses Permitted                                     |
| 200 | Article 369 Insulated Bus Pipe/Tubular Covered Conductors |
| 201 | 370.18 Cablebus Installation                              |
| 202 | 370.120 Marking   |
| 203 | 371 Flexible Bus Systems                                  |
| 204 | 376.60 Grounding  |

4

•



|     | List of Changes   |
|-----|---|
| 205 | 392.10(B)(1) Single Conductor Cables and Single Insulated Conductors  |
| 206 | 392.56 Cable Splices and Type MV Cable Joints   |
| 207 | Part III. Portable Cables Over 600 Volts, up to 2000 Volts, Nominal   |
| 208 | Part IV. Portable Power Feeder Cables Over 2000 Volts   |
| 209 | 404.1 Scope   |
| 210 | 404.14 Ratings and Use of Switches  |
| 211 | 404.14(D) Snap Switch Terminations  |
| 212 | 404.16 Reconditioned Equipment  |
| 213 | 404.30 Switch Enclosures with Doors   |
| 214 | 406.2 Reconditioned Equipment   |
| 215 | 406.3(D) Receptacle Terminations  |
| 216 | 406.4(D)(3) Ground Fault Circuit-Interrupter Protection   |
| 217 | 406.4(D)(5) Tamper-Resistant Receptacles  |
| 218 | 406.4(G) Protection of Floor Receptacles  |
| 219 | 406.6(C) Receptacle Faceplate (Cover Plates) with Integral Night Light and/or USB Charger   |
| 220 | 406.9(A) Damp Locations   |
| 220 | 406.9(B) Wet Locations  |
| 222 | 406.9(B)(2) Other Receptacles   |
| 223 | 406.9(C) Bathtub and Shower Space   |
| 223 | 406.12 Tamper-Resistant Receptacles   |
| 224 | 408.2 Reconditioned Equipment   |
| 225 | 408.4(A) Circuit Directory or Circuit Description   |
| 220 | 408.4(B) Source of Supply   |
| 228 | 408.9 Replacement Panelboards   |
| 220 | 408.38 Enclosure  |
| 229 | 408.43 Panelboard Orientation   |
| 230 | 409.60 Bonding  |
|     | 409.70 Surge Protection   |
| 232 | 410.10(F) Luminaires Installed in or Under Roof Decking   |
| 233 | 410.16 Luminaires In Clothes Closets  |
| 234 | 410.40 Equipment Grounding Conductor  |
| 235 | 410.42 Luminaire(s) with Exposed Conductive <u>Surfaces</u>   |
| 236 |   |
| 237 | 410.71 Disconnecting Means for Fluorescent or LED Luminaires that Utilize Double-Ended Lamps  |
| 238 | 410.184 Ground-Fault Circuit-Interrupter (GFCI) Protection and Special Purpose Ground-Fault Circuit-Interrupter (SPGFCI) Protection<br>Part XVII Special Provisions for Germicidal Irradiation Luminaires |
| 239 |   |
| 240 | 411.2 Reconditioned Equipment   |
| 241 | 411.3 Voltage Limitations<br>422.15 Central Vacuum Outlet Assemblies  |
| 242 |   |
| 243 | 422.16 Flexible Cords (A)(3)<br>422.18 Ceiling-Suspended (Paddle) Fans (B) Location   |
| 244 | 422.18 Ceiling-Suspended (Paddle) Fans (B) Location<br>424.48 Installation of Cable in Walls  |
| 245 |   |
| 246 | 424.93 Installation (2) Locations not Permitted   |
| 247 | 425.10 Special Permission - deleted   |
| 248 | 426.28 Ground-Fault Protection  |
| 249 | 430.2 Reconditioned Motors  |
| 250 | 430.6 Ampacity and Motor Rating Determination   |
| 251 | 430.83(F) Short-Circuit Current Ratings   |
| 252 | 430.205 Size of Conductors  |
| 253 | 430.208 Disconnecting Means   |
| 254 | 440.8 Single Machine and Location   |
| 255 | Part II Disconnecting Means 440.11 General  |
| 256 | 440.14 Location   |



•

|     | List of Changes   |
|-----|---|
| 257 | 440.22(A) Rating or Setting for Individual Motor-Compressor                           |
| 258 | 445.11 Marking  |
| 259 | 445.18(A) Disconnecting Means   |
| 260 | 445.19 Emergency Shutdown of Prime Mover  |
| 261 | 450.1 Scope   |
| 262 | 450.2 Interconnection of Transformers   |
| 263 | 450.21(B) Over 112 1/2 kVA  |
| 264 | 450.43 Doorways (C) Accessibility   |
| 265 | 480 Stationary Standby Batteries  |
| 266 | 480.1 Scope   |
| 267 | 495 Equipment Over 1000 Volts ac, 1500 Volts dc, Nominal                              |
| 268 | 495 (Deletion of 490.21 Equipment Specific Provisions)                                |
| 269 | 500.1 Scope   |
| 270 | 500.5(B)(1) Class I, Division I   |
| 271 | 500.5(D)(2) Class III, Division 2   |
| 272 | 500.7 Protection Techniques   |
| 273 | 500.8(D) Temperature (3) Class III Temperature  |
| 274 | 501.1 Scope.  |
| 275 | 501.10 Wiring Methods (A) Class 1, Division 1   |
| 276 | 501.10 Wiring Methods (B) Class 1, Division 2 (2) Flexible Connections                |
| 277 | 501.15(A)(4) Class 1 Division 1 Boundary  |
| 278 | 501.141 Flexible Cables, Class 1, Division 2  |
| 279 | 503.10 Wiring Methods   |
| 280 | 505 Zone 0, 1, 2 Locations  |
| 281 | 511.7(A) Wiring and Equipment Installed Above Hazardous Locations.                    |
| 282 | 511.8 Underground Wiring Below Hazardous Locations                                    |
| 283 | Article 512 Cannabis Oil Equipment and Cannabis Oil Systems Using Flammable Materials |
| 284 | 514.7 Wiring and Equipment above Hazardous Locations                                  |
| 285 | 514.8 Underground Wiring  |
| 286 | 517.1 Scope   |
| 287 | 517.6 Patient Care-Related Electrical Equipment                                       |
| 288 | 517.10(B) Not Covered   |
| 289 | 517.14 Panelboard Bonding   |
| 290 | 517.20 Wet Procedure Locations (A) Receptacles and Fixed Equipment                    |
| 291 | 517.30 Sources of Power (A) Two Independent Power Sources                             |
| 292 | 517.30(B) Power Sources for the ESS   |
| 293 | 517.31(E) Receptacle Identification   |
| 294 | Part V Diagnostic Imaging and Treatment Equipment                                     |
| 295 | 518.2(A) Examples   |
| 296 | 518.3 Temporary Wiring  |
| 297 | 518.5 Supply  |
| 298 | 520.62 Portable Power Distribution Units  |
| 299 | 520.68 Conductors for Portables (D) Special-Purpose Multicircuit Cable Systems        |
| 300 | 530 Motion Picture and Television Studios and Remote Locations                        |
| 301 | 530.3 Restricted Public Access  |
| 302 | 530.4 Supervision by Qualified Personnel  |
| 303 | 530.9 Plugs and Receptacles (B) Construction  |
| 304 | 530.9 Plugs and Receptacles (C) Paralleled Input Devices                              |
| 305 | 530.9 Plugs and Receptacles (D) Supply Feed-Through Outlets                           |
| 306 | 530.21 Portable Equipment (A) Listing   |
| 307 | 530.21 Portable Equipment (B) Outdoor Use   |
| 308 | 530 Part III  |
|     |   |



|     | List of Changes   |
|-----|---|
| 309 | 547 Agricultural Buildings  |
| 310 | 547.41 Overhead Services  |
| 311 | 550.16(C) Bonding of Non-Current Carrying Metal Parts (1) Exposed Non-Current Carrying Metal Parts  |
| 312 | 551.3 Electrical Datum Plane Distances  |
| 313 | 551.77 Recreational Vehicle Site Supply Equipment (D) Mounting Height   |
| 314 | 555.14. Equipotential Planes and Bonding of Equipotential Planes  |
| 315 | 555.15. Replacement of Equipment  |
| 316 | 555.35 Ground-Fault Protection of Equipment and Ground-Fault Circuit Interrupter  |
| 317 | 555.36(C) Emergency Disconnect  |
| 318 | 555.37(E) Cord-and-Plug-Connected Appliances  |
| 319 | 555.38 Luminaires   |
| 320 | 590.8 Overcurrent Protective Devices (B) Service Overcurrent Protective Devices   |
| 321 | 620.12 Minimum Size of Conductors (A)(2) Class 2 and Communications Circuits  |
| 322 | 620.12 Minimum Size of Conductors (A)(4) Paralleled Conductors  |
| 323 | 620.23. Branch Circuits for Machinery Room, Control Room/Machinery Space, Control Space, or Truss Interior Lighting and Receptacle(s).    |
| 324 | 620.25 Branch Circuit for Other Utilization Equipment (B) Overcurrent Devices.  |
| 325 | 625.4 Voltages  |
| 326 | 625.17 Cords and Cables (C) Overall Cord and Cable Length (2) Fastened-in-Place.  |
| 327 | 625.40 Electric Vehicle Branch Circuit  |
| 328 | Part IV Wireless Power Transfer Equipment   |
| 329 | 630.8 Ground-Fault Circuit-Interrupter Protection for Personnel   |
| 330 | 645.5 Supply Circuits and Interconnecting Cable (B) Power-Supply Cords  |
| 331 | 680.5 GFCI and SPGFCI Protection  |
| 332 | 680.7 Grounding and Bonding   |
| 333 | 680.10 Electric Pool Water Heaters Incorporating Resistive Heating Elements and Electrically Powered Swimming Pool Heat Pump and Chillers |
| 334 | 680.12 Equipment Rooms, <u>Vaults</u> , and Pits  |
| 335 | 680.14 Corrosive Environments   |
| 336 | 680.41 Location of Other Equipment  |
| 337 | 680.44(C) Gas-Fired Water Heaters   |
| 338 | Part V Fountains 680.50 General   |
| 339 | 680.54(C) Equipotential Bonding of Splash Pads  |
| 340 | Part VIII Electrically Powered Pool Lifts 680.83 Equipotential Bonding  |
| 341 | 682.11 Location of Electrical Distribution Equipment  |
| 342 | 682.12 Electrical Connectors  |
| 343 | 682.13 Wiring Methods and Installation  |
| 344 | 682.31 Equipment Grounding Conductors (A) Equipment to be Connected to Equipment Grounding Conductor                                      |
| 345 | 690.4(F) PV Equipment Floating on Bodies of Water   |
| 346 | 690.12 Rapid Shutdown of PV Systems on Buildings  |
| 347 | 690.31 Wiring Methods (4) Special Equipment   |
| 040 |   |

348 690.31(C) Cables
349 690.31(G) Over 1000 Volts DC
350 690.43 Equipment Grounding and Bonding
351 691.4 Special Requirements of Large-Scale PV Electric Supply Stations
352 Part VI Connection to Other Circuits 692.60 Connection to Other Systems
353 695.1(B) Not Covered
354 695.6(D) Pump Wiring (2) Fittings
355 695.7 Voltage Drop
356 700.3(F) Temporary Source of Power for Maintenance or Repair of the Alternate Source of Power
357 700.4 Capacity and Rating (A) Capacity
358 700.4(C) Parallel Operation (1) Normal Source.
359 700.4(C) Parallel Operation (2) Emergency Source
360 700.5 Transfer Equipment (D) Redundant Transfer Equipment

7



|     | List of Changes  |
|-----|--|
| 361 | 700.6 Signals  |
| 362 | 700.10(B)(5)(e) Wiring Emergency Systems   |
| 363 | 700.11 Wiring, Class-2-Powered Emergency Lighting Systems  |
| 364 | 700.12(C) Supply Duration  |
| 365 | 700.12(E) Stored-Energy Power Supply Systems   |
| 366 | 700.27 Class 2 Powered Emergency Lighting Systems  |
| 367 | 700.32 Selective Coordination  |
| 368 | 701 Legally Required Standby Systems - Various sections  |
| 369 | 705.1 Scope  |
| 370 | 705.5 Parallel Operations  |
| 371 | 705.11 Source Connections to a Service   |
| 372 | 705.12 Load-Side Source Connections  |
| 373 | 705.13 Energy Management Systems (EMS)   |
| 374 | 705.28 Circuit Sizing and Current (A) Power Source Output Maximum Current                                |
| 375 | 705.30 Overcurrent Protection  |
| 376 | 705.76 Microgrid Control System  |
| 377 | Part III Interconnected Systems Operating in Island Mode   |
| 378 | 706.7 <u>Commissioning and</u> Maintenance   |
| 379 | 706.31 Overcurrent Protection (A) Circuits and Equipment   |
| 380 | 706.51 Flywheel ESS  |
| 381 | 708.7 Cybersecurity  |
| 382 | 708.24 Transfer Equipment (D) Redundant Transfer Switches  |
| 383 | 708.54 Selective Coordination  |
| 384 | 722 Cables for Power-Limited Circuits and Fault-Managed Power Circuits                                   |
| 385 | 724 Class 1 Power-Limited Circuits and Class 1 Power-Limited Remote-Control and Signaling Circuits       |
| 386 | 725 Class 2 and Class3 Power-Limited Circuits  |
| 387 | 725.136 Separation from Electric Light, Power, Class 1, Non-Power-Limited Fire Alarm Circuit Conductors, |
| 388 | 725.139 Installation of Conductors of Different Circuits in the Same Cable,                              |
| 389 | 726 Class 4 Fault-Managed Power Systems  |
| 390 | 750.6 Listing  |
| 391 | 750.30 Load Management (C) Capacity of Branch Circuit, Feeder, or Service                                |
| 392 | 770 Fiber Optic Cables   |
| 393 | 770.3 Other Articles   |
| 394 | 770.27 Temperature Limitation of Optical Fiber Cables  |
| 395 | 770.111 Innerduct for Optical Fiber Cables   |
| 396 | 770.113 Installation of Optical Fiber Cables   |

8

•

## © HTS 2023